


IONOSPHERIC DATA

ISSUED
SEPTEMBER 1947

PREPARED BY CENTRAL RADIO PROPAGATION LABORATORY
National Bureau of Standards
Washington, D.C.



IONOSPHERIC DATA

CONTENTS

	Page
Terminology and Scaling Practices	2
Monthly Average and Median Values of World-Wide Ionospheric Data	4
Ionospheric Data for Every Day and Hour at Washington, D. C.	7
Ionosphere Disturbances	7
American and Zurich Provisional Relative Sunspot Numbers	8
Solar Coronal Intensities Observed at Climax, Colorado	9
Errata	9
Tables of Ionospheric Data	10
Graphs of Ionospheric Data	46
Index of Tables and Graphs of Ionospheric Data . .	77

TERMINOLOGY AND SCALING PRACTICES

The symbols and terminology used in this report are those adopted by the International Radio Propagation Conference, and given in detail on pages 24 to 26 of the report IRPL-C61, "Report of International Radio Propagation Conference," and in the section on "Terminology" in report IRPL-F5.

Beginning with IRPL-F14 the symbol L , defined as follows, is used in detailed tabulations of hourly values of ionosphere characteristics observed at Washington:

L or l = critical frequency, muf , or muf factor for F1 layer omitted because no definite and abrupt change in slope of the $h'f$ curve occurs either for the first reflection or for any of the multiples.

In the past, ionospheric conditions were summarized on a monthly basis by using average or mean values for each hour of the day for each month. However, following the recommendations of the International Radio Propagation Conference, held in Washington 17 April to 5 May 1944, beginning with data for 1 Jan. 1945, median values were used by IRPL wherever possible. Thus, median values are given for Washington, for all stations reporting directly to the CRPL, for the Canadian stations, and for all others sending to the CRPL detailed tabulations from which medians can be computed.

Where averages are reported, they are, at any hour, the average for all the days during the month for which numerical data exist.

The monthly median values used here are the values equaled or exceeded on half the days of the month at the given hour. The following conventions are used in determining the medians for hours when no measured values are given because of equipment limitations and ionospheric irregularities. Symbols used are those given in the report referred to above, IRPL-C61.

a. For all ionospheric characteristics:

Values missing because of A, B, C or F (see terminology referred to above) are omitted from the median count.

b. For critical frequencies and virtual heights:

Values of $f^{\circ}F2$ missing because of E are counted as equal to or less than the lower limit of the recorder. Ordinarily, values of virtual heights, $f^{\circ}F1$, and $f^{\circ}E$ missing for this reason are omitted from the median count.

Values missing because of D are counted as equal to or greater than the upper limit of the recorder.

Values missing because of G are counted:

1. For $f^{\circ}F2$, as equal to or less than $f^{\circ}F1$.

2. For $h'F2$, as equal to or greater than the median.

Values missing for any other reason are omitted from the median count.

c. For muf factors (M-factors):

Values missing because of G are counted as equal to or less than the median.

Values missing for any other reason are omitted from the median count.

d. For sporadic E (Es):

Values of fEs missing because no Es reflections appeared, the equipment functioning normally otherwise, are counted as equal to or less than the median f^oE, or equal to or less than the lower frequency count of the recorder.

Values of fEs missing for any other reason, and values of hEs missing for any reason at all are omitted from the median count.

Beginning with data for November 1945, doubtful monthly median values for ionospheric observations at Washington, D.C., are indicated by parentheses, in accordance with the practice already in use for doubtful hourly values. The following are the conventions used to determine whether or not a median value is doubtful:

1. If only four values or less are available, the data are considered insufficient and no median value is computed.

2. For the F2 layer, if only five to nine values are available, the median is considered doubtful. The E and F1 layers are so regular in their characteristics that, as long as there are at least five values, the median is not considered doubtful.

3. For all layers, if more than half of the values used to compute the median are doubtful (either doubtful or interpolated), the median is considered doubtful.

The same conventions are used by the CRPL in computing the medians from tabulations of daily and hourly data for stations other than Washington, beginning with the tables in IRPL-F18.

Beginning with CRPL-F33, an additional group of symbols is used in recording the Washington, D. C. data. The list of additional symbols and their meanings follows:

- N - unable to make logical interpretation.
- P - trace extrapolated to a critical frequency.
- Q - the F1 layer not present as a distinct layer.
- R - curve becomes incoherent near the F2 critical frequency.
- S - no observation obtainable because of interference.
- V - forked record (previously denoted by U. This change should also be made in CRPL-7-1).
- Z - triple split near critical frequency.

For a more detailed explanation of the meaning and use of these symbols, see the report CRPL-7-1, Preliminary Instructions for Obtaining and Reducing Manual Ionospheric Records.

MONTHLY AVERAGE AND MEDIAN VALUES OF WORLD-WIDE IONOSPHERIC DATA

The ionospheric data given here in tables 1 to 64 and figures 1 to 120 were assembled by the Central Radio Propagation Laboratory for analysis and correlation, incidental to CRPL predictions of radio propagation conditions. The data are median values unless otherwise indicated. The following are the sources of the data:

Australian Council for Scientific and Industrial Research,
Radio Research Board:
Brisbane, Australia
Canberra, Australia
Cape York, Australia
Hobart, Tasmania
Townsville, Australia

Australian Department of Supply and Shipping, Bureau of
Mineral Resources, Geophysical Section:
Watheroo, W. Australia

British Department of Scientific and Industrial Research,
Radio Research Board:
Slough, England

Canadian Radio Wave Propagation Committee:
Churchill, Canada
Clyde, Baffin I.
Ottawa, Canada
Portage la Prairie, Canada
Prince Rupert, Canada
St. John's, Newfoundland

New Zealand Radio Research Committee:
Campbell I.
Christchurch, New Zealand (Canterbury University College Observatory)
Fiji Is.
Kermadec Is.
Rarotonga I.

South African Council for Scientific and Industrial Research:
Capetown, Union of S. Africa
Johannesburg, Union of S. Africa

Scientific Research Institute of Terrestrial Magnetism, Moscow, U.S.S.R.:
Alma Ata, U.S.S.R.
Bay Tiksey, U.S.S.R.
Bukhta Tikhaya, U.S.S.R.
Chita, U.S.S.R.
Leningrad, U.S.S.R.
Moscow, U.S.S.R.
Sverdlovsk, U.S.S.R.
Tomsk, U.S.S.R.

Carnegie Institution of Washington (Department of Terrestrial Magnetism):
Huancayo, Peru

United States Army Signal Corps:

Fukaura, Japan
Okinawa I.
Shibata, Japan
Tokyo, Japan
Wakkanai, Japan
Yamakawa, Japan

National Bureau of Standards (Central Radio Propagation Laboratory):

Adak, Alaska
Baton Rouge, Louisiana (Louisiana State University)
Boston, Massachusetts (Harvard University)
Fairbanks, Alaska (University of Alaska, College, Alaska)
Guam I.
Manila, Philippine Is.
Maui, Hawaii
Palmyra I.
San Francisco, California (Stanford University)
San Juan, Puerto Rico (University of Puerto Rico)
Trinidad, British West Indies
Washington, D. C.
White Sands, New Mexico
Wuchang, China (National Wuhan University)

All India Radio (Government of India), New Delhi, India:

Bombay, India
Delhi, India
Madras, India
Peshawar, India

Indian Council of Scientific and Industrial Research,

Radio Research Committee:

Calcutta, India

Radio Wave Research Laboratory, Central Broadcasting Administration:

Chungking, China
Lanchow, China
Peiping, China

French Ministry of Naval Armaments (Section for Scientific Research):

Fribourg, Germany

National Laboratory of Radio-Electricity (French Ionospheric Bureau):

Bagneux, France

Philippine Republic, Department of National Defense:

Leyte, Philippine Is.

Norwegian Defense Research Establishment, Florida, Bergen, Norway:

Tromso, Norway

Beginning with CRPL-F26, publication of tables of so-called "provisional data" reported to the CRPL by telephone or telegraph was discontinued. The reason for this change in policy is that users of the data hitherto published in this form receive them through established channels sooner than through the F-series. Furthermore, having two sets of data, "provisional" and "final" for the same station for the same month leads to confusion.

It must be emphasized that there is no change in the methods used for rapid reporting and exchange of data. The change has to do only with the printing of provisional data in the F-series.

The tables and graphs of ionospheric data are correct for the values reported to the CRPL, but, because of variations in practice in the interpretation of records and scaling and manner of reporting of values, may at times give an erroneous conception of typical ionospheric characteristics at the station. Some of these errors are due to:

- a. Differences in scaling records when spread echoes are present.
- b. Omission of values when $f^{\circ}F_2$ is less than or equal to $f^{\circ}F_1$, leading to erroneously high values of monthly averages or median values.
- c. Omission of values when critical frequencies are less than the lower frequency limit of the recorder, also leading to erroneously high values of monthly average or median values.

These effects were discussed on pages 6 and 7 of the previous F-series report IRPL-F5.

The dashed-line prediction curves of the graphs of ionospheric data are obtained from the predicted zero-muf contour charts of the CRPL-D series publications. Predictions for individual stations used to construct the charts may be more accurate than the values read from the charts since some smoothing of the contours is necessary to allow for the longitude effect within a zone. The following predicted smoothed 12-month running-average Zürich sunspot numbers were used in constructing the contour charts, beginning with September 1945:

Month	Predicted Sunspot No.	Month	Predicted Sunspot No.
August 1947	122	August 1946	77
July 1947	116	July 1946	73
June 1947	112	June 1946	67
May 1947	109	May 1946	67
April 1947	107	April 1946	62
March 1947	105	March 1946	51
February 1947	90	February 1946	46
January 1947	88	January 1946	42
December 1946	85	December 1945	38
November 1946	83	November 1945	36
October 1946	81	October 1945	23
September 1946	79	September 1945	22

IONOSPHERIC DATA FOR EVERY DAY AND HOUR AT WASHINGTON, D. C.

The data given in tables 65 to 76 follow the scaling practices given in the report IRPL-C61, "Report of International Radio Propagation Conference," pages 36 to 39, and the median values are determined by the conventions given above under "Terminology and Scaling Practices."

Since February 1947, the fEs and h'fEs readings reported have been the values of fEs and h'fEs observed on the hourly record instead of the highest value of fEs and the lowest value of h'fEs observed during the hourly interval centered on the hour, as had been the practice up to that time.

IONOSPHERE DISTURBANCES

Table 77 presents ionosphere character figures for Washington, D.C., during August 1947, as determined by the criteria presented in the report IRPL-R5, "Criteria for Ionospheric Storminess," together with Cheltenham, Maryland, magnetic K-figures, which are usually covariant with them.

Table 78 lists for the stations whose locations are given the sudden ionosphere disturbances observed on the continuous field intensity recordings made at the Sterling Radio Propagation Laboratory during August 1947.

Table 79 lists for the stations whose locations are given the sudden ionosphere disturbances observed at the Brentwood and Somerton, England, receiving stations of Cable and Wireless Ltd. from July 23 to August 22, 1947.

Table 80 lists for the stations whose locations are given the sudden ionosphere disturbances observed at the Barbados, B.W.I., receiving station of Cable and Wireless Ltd. from July 23 to July 31, 1947.

Table 81 gives provisional radio propagation quality figures for the North Atlantic and North Pacific areas, for 01 to 12 and 13 to 24 GCT, July 1947, compared with the CRPL daily radio disturbance warnings, which are primarily for the North Atlantic paths, the CRPL weekly radio propagation forecasts of probable disturbed periods, and the half-day Cheltenham, Maryland, geomagnetic K-figures.

The radio propagation quality figures for the North Atlantic are prepared from radio traffic and ionospheric data reported to the CRPL, in the manner described in detail in report IRPL-R31, "North Atlantic Radio Propagation Disturbances, October 1943 through October 1945," issued 1 February 1946.

The radio propagation quality figures for the North Pacific are prepared from radio traffic and ionospheric data reported to the CRPL, in a manner similar to that of IRPL-R31. The master scale of IRPL-R31 was used to formulate conversion scales for the North Pacific reports. Beginning with CRPL-F23, issued July 1946, the North Pacific radio propagation quality figures reported are prepared from these revised conversion scales.

These radio propagation quality figures give a consensus of opinion of actual radio propagation conditions as reported by the half day over the two general areas. It should be borne in mind, however, that though the quality may be disturbed according to the CRPL scale, the cause of the disturbance is not necessarily known. There are many variables that must be considered. In addition to ionospheric storminess itself as the cause, conditions may be reported as disturbed because of seasonal characteristics, such as are particularly evident in the pronounced day and night contrast over North Pacific paths during the winter months, or because of improper frequency usage for the path and time of day in question. Insofar as possible, frequency usage is included in rating the reports. Where the actual frequency is not shown in the report to the CRPL, it has been assumed that the report is made on the use of optimum working frequencies for the path and time of day in question. Since there is a possibility that all the disturbance shown by the quality figures is not due to ionospheric storminess alone, care should be taken in using the quality figures in research correlations with solar, auroral, geomagnetic, or other data. Nevertheless, these quality figures do reflect a consensus of opinion of actual radio propagation conditions as found on any one half day in either of the two general areas.

AMERICAN AND ZURICH PROVISIONAL RELATIVE SUNSPOT NUMBERS

Table 82 presents the daily median values of relative sunspot numbers as reported by American observers for August 1947. The reports have been reduced, by appropriate constants, approximately to the Zürich scale of relative sunspot numbers. The monthly relative sunspot number is the mean of the daily median values listed in the table. This method was devised by Mr. A. H. Shapley, while a member of the staff of the Department of Terrestrial Magnetism, Carnegie Institution of Washington. Details will be found in his article, "American Observations of Relative Sunspot Numbers in 1945 for Application to Ionospheric Prediction," Popular Astronomy, vol. 54, No. 7, pp. 351-358. The criteria for A observers have been modified slightly, beginning with September 1946. In order for an observer's report to be included in the American sunspot numbers, the mean deviation of the reduction factors for his observations for the four preceding months must have been within 15% of the 4-month running mean of his reduction factors, rather than within an interval of ± 0.16 of that running mean. This avoids favoring observers with small reduction factors and discriminating against observers with large reduction factors. In addition sunspot numbers must have been reported for at least one-half of the month during three-quarters of the preceding year. This will tend to restrict the observers to those whose observations are consistent from month to month without rejecting the work of observers for whom weather conditions are unsatisfactory for observations during some months of the year.

In addition, table 82 lists the daily provisional Zürich sunspot numbers. The first issue in which these numbers appear is CRPL-F35.

9

SOLAR CORONAL INTENSITIES OBSERVED
AT CLIMAX, COLORADO

In table 83 the intensities of the green (λ 5303A), first red (λ 6374A), and second red (λ 6704A) lines of the solar corona as observed during August 1947, by the High Altitude Observatory of Harvard University and the University of Colorado at Climax, Colorado, are given for every 5° measured from astronomical north positively through the east for each day on which observations were possible. An arbitrary intensity-scale of approximately 0 to 40 is used. To convert from astronomical north and to determine the positions relative to the solar rotational equator, subtract the algebraic value of the position-angle of the solar axis. This quantity varies from -26 to +26 degrees during the year, and is tabulated in the nautical almanacs. If observations are uncertain, the initials l.w. (low weight) follow the date. The time of observation in hours GCT is listed. Dashes indicate that the intensity for that position is below the observable threshold. Absence of observation made at a given position is indicated by X.

ERRATA

1. CRPL-F35, table 49, page 22: In the table of data for Fribourg, Germany, July 1946, fEs for the hours 03, 08, 09, 11, 13, 14, 16, 17, and 18 should be 2.4, 5.1, 5.3, 4.8, 4.3, 4.6, 4.0, 4.3, and 5.0, respectively.
2. CRPL-7-1: Symbol "U" (forked record) should be replaced by symbol "V."

TABLES OF IONOSPHERIC DATA

Table 1

Washington, D. C. (39.0°N, 77.5°W)

August 1947

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	280	(6.2)						(2.6)
01	280	(5.9)						(2.6)
02	280	5.7						(2.6)
03	280	(5.3)						(2.6)
04	280	4.9						2.7
05	280	4.7						2.8
06	250	5.6			100	2.1		3.1
07	270	6.5	230	4.4	100	2.9	3.3	2.9
08	360	6.6	220	4.8	100	3.3	3.6	2.8
09	340	7.6	200	5.4	100	3.6		2.8
10	340	7.9	200	5.5	100	3.8		2.8
11	400	(7.6)	200	(5.5)	100	(4.0)		2.6
12	415	7.7	210	5.5	100	(4.0)		2.6
13	430	7.9	210	(5.6)	100	(4.0)		2.6
14	390	7.9	210	5.4	100	3.9		2.8
15	390	8.1	220	5.4	100	3.8		2.8
16	380	7.6	220	5.2	100	3.6		2.7
17	350	7.5	220	4.8	100	3.2	3.6	2.7
18	295	7.4	235		100	2.6	2.7	2.8
19	265	7.2			100	(1.8)	2.4	2.8
20	250	7.5						2.8
21	260	(7.1)						(2.7)
22	280	(7.0)						(2.8)
23	280	(6.6)						(2.6)

Time: 75.0°W.

Sweep: 1.0 Mc to 25.0 Mc in 15 seconds.

Table 2

Fairbanks, Alaska (64.9°N, 147.6°W)

July 1947

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	335	5.2				1.8	4.6	2.6
01	338	5.4				1.7	4.2	2.4
02	352	5.6				2.0	5.3	2.5
03	400	5.6	305	3.6		2.2	5.5	2.4
04	428	5.8	270	4.0		2.5	5.5	2.4
05	408	6.2	250	4.2		2.9	5.5	2.4
06	448	6.3	250	4.5		3.1	5.4	2.4
07	500	6.2	248	4.8		3.3	5.5	2.3
08	485	6.5	240	4.9		3.4	4.9	2.4
09	508	6.6	228	5.0		3.5	5.5	2.4
10	505	6.6	220	5.1		3.6	3.4	2.3
11	510	6.5	230	5.2		3.7	5.2	2.3
12	535	6.6	230	5.2		3.7	4.1	2.4
13	535	6.5	230	5.2		3.6	3.6	2.3
14	545	6.4	230	5.2		3.6		2.3
15	500	6.4	232	5.2		3.4		2.4
16	462	6.4	238	5.0		3.3		2.4
17	445	6.4	240	4.8		3.2		2.5
18	402	6.3	255	4.4		3.0		2.6
19	325	6.1	270	4.0		2.7		2.6
20	290	5.8				2.1	3.2	2.7
21	298	5.5				2.0	2.8	2.7
22	280	5.6				1.9	3.6	2.7
23	318	5.2				1.7	4.1	2.6

Time: 150.0°W.

Sweep: 16.0 Mc to 0.5 Mc in 15 minutes.

Table 3

Prince Rupert, Canada (54.3°N, 130.3°W)

July 1947

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	300	5.4					3.0	2.7
01	310	4.7					3.0	2.6
02	320	4.2					3.9	2.6
03	320	4.2					2.9	2.6
04	330	4.6					3.9	2.6
05	380	5.0	290	3.6	130	2.0	4.0	2.5
06	430	5.7	260	4.1	120	2.5	4.0	2.5
07	495	6.0	240	4.5	110	3.0	4.1	2.4
08	485	6.2	230	4.8	110	3.3	4.1	2.4
09	485	6.4	220	5.0	110	3.5	4.2	2.4
10	500	6.8	220	5.1	110	3.7	4.4	2.4
11	495	6.9	220	5.3	110	3.8	4.4	2.4
12	500	7.0	220	5.3	110	3.9	4.4	2.4
13	520	6.7	220	5.4	110	3.9	4.4	2.4
14	515	6.6	220	5.3	110	3.9	4.3	2.4
15	500	6.7	230	5.3	110	3.8	4.1	2.4
16	480	6.7	230	5.3	110	3.7	4.1	2.4
17	450	6.5	235	5.1	110	3.4	4.1	2.5
18	405	6.4	240	5.0	110	3.2	4.0	2.5
19	360	6.5	260	4.4	120	2.8	4.1	2.7
20	285	6.4	265	3.6	120	2.3	3.7	2.8
21	280	6.4			120	1.8	3.2	2.7
22	280	6.2					3.6	2.7
23	290	6.0					3.2	2.6

Time: 120.0°W.

Sweep: Manual operation.

Table 4

Adak, Alaska (51.9°N, 176.6°W)

July 1947

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	280	6.7					2.4	2.6
01	300	6.2					2.4	2.6
02								
03								
04								
05	410	6.8	250	4.3	110	2.5	3.4	2.5
06	410	7.7	245	4.6	100	2.9	4.1	2.5
07	405	8.3	240	4.8	100	3.2	4.9	2.5
08	400	8.0	240	5.0	100	3.5	5.4	2.5
09	420	7.8	(230)	5.3	100	3.7	5.1	2.5
10	470	7.5	230	5.5	100	3.8	4.9	2.5
11	<u>430</u>	<u>7.8</u>	<u>220</u>	<u>5.6</u>	<u>100</u>			
12	435	7.4	230	5.6	100	3.9	4.6	2.6
13	460	7.1	230	5.4	100	(4.0)	4.9	2.5
14	470	7.0	250	5.4	100	4.0	4.1	2.6
15	435	6.7	220	5.4	100	3.8	4.1	2.6
16	420	6.6	225	5.3	100	3.6	4.1	2.6
17	<u>370</u>	<u>6.8</u>	<u>245</u>	<u>4.3</u>	<u>100</u>	<u>3.3</u>		
18	320	6.8	240	(4.6)	100	2.7	4.1	2.8
19	290	6.7	260		110	2.3	4.0	2.8
20	280	7.0			100		4.1	2.8
21	275	7.3					4.0	2.7
22	280	7.2					2.8	2.7
23	285	6.6					2.5	2.6

Time: 180.0°W.

Sweep: 1.2 Mc to 15.5 Mc. Manual operation.

Table 5

Fortage la Prairie, Canada (49.9°N, 98.3°W)

July 1947

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	310	5.0						2.4
01	320	4.8					2.0	2.4
02	320	4.4					3.1	2.4
03	320	4.3					3.8	2.4
04	320	4.0					3.1	2.5
05	270	4.8			110	2.0	2.3	2.5
06	350	5.4	250	4.0	110	2.6		2.6
07	400	5.8	230	4.6	100	3.0		2.6
08	450	6.3	220	4.9	100	3.3		2.4
09	450	6.4	210	5.1	100	3.5		2.5
10	450	6.4	210	5.2	100	3.7		2.4
11	500	6.6	200	5.3	100	3.8		2.4
12	500	6.8	200	5.4	100	3.9		2.4
13	500	7.0	210	5.4	100	3.9		2.3
14	510	6.7	210	5.4	100	3.9		2.3
15	500	6.8	210	5.2	100	3.8		2.3
16	460	6.6	220	5.2	100	3.7		2.4
17	450	6.8	220	5.1	100	3.4		2.5
18	400	6.8	240	4.8	100	3.1		2.5
19	280	7.1	(240)	4.2	110	2.6		2.6
20	270	7.2			120	2.1		2.7
21	270	7.2						2.6
22	280	6.5					1.8	2.6
23	300	5.8						2.5

Time: 90.0°W.

Sweep: 1.0 Mc to 16.0 Mc in 2 minutes 30 seconds.

Table 6

Ottawa, Canada (45.5°N, 75.8°W)

July 1947

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	330	5.9						2.7
01	325	5.0						2.7
02	325	4.7						2.7
03	320	4.4						2.7
04	320	4.7						2.7
05	280	5.6						2.7
06	300	6.0	240	4.2	120	2.2		2.7
07	345	6.5	230	4.6	120	3.0		2.6
08	350	6.8	220	5.0	110	3.3		2.7
09	400	6.8	220	5.2	110	3.5		2.5
10	440	7.0	210	5.5	110	3.7		2.5
11	400	6.4	200	5.5	110	3.7		2.6
12	460	6.1	210	5.5	110	3.6		2.5
13	405	6.8	220	5.7	110	3.8		2.5
14	390	6.8	220	5.4	110	3.8		2.6
15	400	6.9	220	5.4	110	3.6		2.5
16	410	6.9	230	5.2	110	3.5		2.5
17	390	6.8	230	5.0	110	3.2		2.5
18	330	7.0	250	4.4	130	2.8		2.6
19	300	7.0	250	3.7	120	2.5		2.7
20	290	7.2						2.6
21	300	7.3						2.6
22	300	6.9						2.7
23	300	6.3						2.6

Time: 75.0°W.

Sweep: 1.7 Mc to 18.0 Mc. Manual operation.

Table 7

Boston, Massachusetts (42.4°N, 71.2°W)

July 1947

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	300	6.5					1.2	2.5
01	300	6.4					1.6	2.5
02	310	5.7					1.6	2.5
03	310	5.4					1.5	2.5
04	310	5.4			130	1.6	1.8	2.6
05	300	5.6					2.0	2.7
06	350	6.6			122	2.6		2.7
07	350	7.2	280	5.0	120	3.1		2.6
08	400	7.3						2.7
09	430	7.4						2.6
10	450	7.5					(2.5)	2.5
11	490	7.4						2.4
12	530	7.8						2.5
13	500	7.7						2.5
14	500	7.6						2.5
15	460	7.5						2.6
16	430	7.4						2.6
17	400	7.5						2.7
18	350	7.4						2.7
19	330	7.4					2.3	2.7
20	300	7.5					3.0	2.6
21	300	7.4					2.5	2.7
22	300	7.0						2.6
23	300	6.7					1.9	2.6

Time: 75.0°W.

Sweep: 0.8 Mc to 14.0 Mc in 1 minute.

Table 8

San Francisco, California (37.4°N, 122.2°W)

July 1947

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	300	6.0					3.0	2.5
01	285	6.1					2.5	2.6
02	280	5.8					2.5	2.6
03	280	5.8					2.6	2.6
04	285	5.4					2.6	2.5
05	280	5.4					2.6	2.6
06	255	6.1	240	4.0	110	2.4	3.0	2.7
07	380	7.0	220	4.6	100	3.0	4.0	2.5
08	380	7.5	200	5.2	100	3.3	5.2	2.5
09	400	7.7	200	5.5	100	3.6	5.2	2.5
10	390	8.3	200	5.6	100	3.7	5.7	2.5
11	410	8.0	200	5.7	100	3.7	5.0	2.5
12	410	8.3	180	5.6	100	3.7	5.1	2.5
13	400	8.0	200	5.7	100	3.8	4.5	2.5
14	400	8.1	200	5.6	100	3.7	4.3	2.5
15	400	7.8	205	5.6	100	3.7	4.6	2.6
16	370	7.8	200	5.4	100	3.6	4.3	2.6
17	340	7.4	215	5.1	100	3.2	4.2	2.7
18	260	7.4	240	4.5	100	2.8	3.7	2.8
19	240	7.2			120	2.2	2.6	2.9
20	240	7.0					2.6	2.8
21	260	6.8					3.8	2.7
22	260	6.4					4.8	2.7
23	280	6.3					3.7	2.6

Time: 120.0°W.

Sweep: 1.5 Mc to 18.5 Mc in 4 minutes 30 seconds.

Table 9

White Sands, New Mexico (32.6°N, 106.5°W)

July 1947

Time	h'F ₂	f ^o F ₂	h'F ₁	f ^o F ₁	h'E	f ^o E	fEs	F ₂ -M3000
00	335	6.6					4.4	2.4
01	320	6.6					3.6	2.5
02	300	6.4					3.0	2.5
03	310	6.2					3.4	2.5
04	300	5.9					3.3	2.5
05	300	5.8					3.3	2.6
06	300	6.7	250	4.3			4.6	2.6
07	370	7.4	235	5.1	110	(3.1)	5.0	2.6
08	400	8.2	220	5.3	110	3.3	5.2	2.5
09	400	8.8	220	5.7	110	3.8	5.7	2.5
10	420	9.0	220	5.8	110	3.9	4.9	2.5
11	410	9.5	220	5.8			4.9	2.4
12	420	9.5	220	5.8	115	4.2	4.8	2.5
13	(420)	9.4	220	5.9			4.9	2.4
14	400	9.3	220	5.7	110	(4.0)	4.7	2.5
15	420	8.2	220	5.6	110	3.9	4.8	2.5
16	390	8.6	230	5.3	110	3.7	5.0	2.5
17	370	8.0	230	5.1	110	3.3	4.8	2.6
18	320	8.0	240		120	2.7	4.4	2.7
19	290	7.6					3.2	2.7
20	270	7.2					2.8	2.6
21	290	7.0					3.1	2.6
22	300	6.8					3.8	2.6
23	320	6.6					4.6	2.4

Time: 105.0°W.

Sweep: 0.79 Mc to 14.0 Mc in 2 minutes.

Table 10

Wuchang, China (30.6°N, 114.4°E)

July 1947

Time	h'F ₂	f ^o F ₂	h'F ₁	f ^o F ₁	h'E	f ^o E	fEs	F ₂ -M3000
00	300	9.0					4.0	2.8
01	290	8.8					4.0	2.8
02	280	8.6					3.6	2.8
03	280	7.8					3.2	2.8
04	290	7.4					3.4	2.6
05	290	7.2					2.6	2.6
06	255	8.1			108	2.5	2.1	2.8
07	240	8.6			105	3.0	3.8	2.9
08	250	8.9	230	6.2	100	3.5	5.1	2.9
09	358	9.0	242	6.2	110	3.8	6.0	2.7
10	380	9.0	230	6.2	100	4.0	6.2	2.6
11	380	9.6	240	6.2	100	4.2	5.6	2.6
12	400	10.0	238	6.2	100	4.2		2.7
13	390	10.0	250	6.2	100	4.2		2.7
14	380	10.4	245	6.0	102	4.2		2.8
15	370	10.5	232	6.0	100	4.1	4.7	2.7
16	360	11.0	245	5.8	100	3.8		2.8
17	330	10.5	240	5.5	100	3.5	4.8	2.8
18	302	9.9	240	5.2	100	2.9	4.9	2.9
19	275	9.4			100	2.0	4.4	2.9
20	280	9.0					3.6	2.9
21	290	8.7					3.3	2.7
22	300	8.8					3.4	2.7
23	310	8.8					3.2	2.6

Time: 120.0°E.

Sweep: 1.2 Mc to 19.2 Mc. Manual operation.

Table 11

Baton Rouge, Louisiana (30.5°N, 91.2°W)

July 1947

Time	h'F ₂	f ^o F ₂	h'F ₁	f ^o F ₁	h'E	f ^o E	fEs	F ₂ -M3000
00	350	6.7					4.4	2.5
01	340	6.6						2.6
02	340	6.2						2.6
03	350	6.0						2.5
04	350	5.7						2.5
05	320	5.9						2.7
06	345	6.6	270	4.0	120	2.5	3.7	2.7
07	340	7.2	250	4.3	120	3.2	4.3	2.5
08	400	7.6	250	5.0	120	3.6	4.3	2.6
09	470	7.9	250	5.4	120	3.7	4.2	2.5
10	460	8.0	250	5.5	120	3.7		2.4
11	460	8.6	250	5.5	120	3.8	4.3	2.4
12	460	9.4	250	5.7	120	3.8		2.5
13	460	10.0	250	5.7	120	3.8		2.5
14	460	9.5	250	5.7	120	3.8		2.5
15	450	9.2	250	5.4	120	3.8		2.5
16	440	9.0	260	5.3	120	3.6		2.6
17	400	8.2	260	4.7	120	3.1	4.0	2.6
18	350	7.9	270	4.0	130	2.5	4.0	2.6
19	310	7.8						2.7
20	300	7.5					2.5	2.7
21	300	7.2						2.6
22	330	7.0						2.5
23	350	6.7					3.3	2.6

Time: 90.0°W.

Sweep: 2.0 Mc to 15.0 Mc in 5 minutes.

Table 12

Chungking, China (29.4°N, 106.8°E)

July 1947

Time	h'F ₂	f ^o F ₂	h'F ₁	f ^o F ₁	h'E	f ^o E	fEs	F ₂ -M3000
00	340	9.4					5.2	2.5
01	320	9.0					6.0	2.6
02	315	8.2					4.9	2.6
03	320	7.8					4.1	2.4
04	320	7.0					4.0	2.4
05	320	7.4					5.0	2.5
06	285	8.1					5.4	2.7
07	280	9.4					7.5	2.7
08	300	9.2	245				8.0	2.6
09	360	9.3	240	6.4			8.9	2.4
10	400	10.3	230	6.3			8.8	2.3
11	420	11.2	240	6.4	100		7.6	2.4
12	420	11.5	240	6.4	100	4.5	7.2	2.4
13	410	12.3	240	6.2	100	4.4	6.4	2.4
14	400	12.7	250	6.1	100	4.4	6.4	2.4
15	390	13.1	250	6.0	100	4.1	5.8	2.4
16	370	12.3	240	5.8	100	3.8	5.6	2.5
17	360	12.0	280		100	3.4	5.0	2.5
18	320	11.5					5.4	2.6
19	310	10.4					4.4	2.6
20	310	9.8					4.2	2.5
21	330	9.4					3.6	2.4
22	360	9.4					4.0	2.4
23	360	9.4					5.2	2.4

Time: 105.0°E.

Sweep: 1.7 Mc to 20.0 Mc in 15 minutes. Manual operation.

Table 13

Maui, Hawaii (20.8°N, 156.5°W)

July 1947

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	280	9.6					3.8	2.7
01								
02								
03								
04								
05								
06	260	7.0			110	1.8	3.2	2.7
07	230	8.0			100	2.8	3.6	2.9
08	220	8.6	215	5.8	100	3.4	4.1	2.5
09	335	9.6	210	6.0	100	3.7	4.8	2.4
10	420	10.2	210	6.2	100	4.0		2.3
11	430	11.0	210	6.2	100	4.2		2.4
12	400	11.8	210	6.1	100	4.3		2.5
13	400	12.1	215	6.1	100	4.3		2.5
14	380	12.1	220	6.0	100	4.2		2.6
15	370	12.2	220	5.9	105	4.1		2.6
16	350	12.2	220	5.7	100	3.8	4.6	2.7
17	330	11.9	230	5.5	100	3.5	4.8	2.7
18	300	11.2	240	5.1	100	2.8	4.5	2.8
19	260	11.2					4.0	2.8
20	280	10.6					4.2	2.7
21	290	10.0					4.0	2.6
22	285	10.2					3.7	2.6
23	290	9.4					3.8	2.6

Time: 150°W.

Sweep: 1.2 Mc to 18.0 Mc. Manual operation.

Table 14

San Juan, Puerto Rico (18.4°N, 66.1°W)

July 1947

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00		10.0						2.6
01		9.6						2.6
02		8.9						2.6
03		8.3						2.6
04		8.0						2.5
05		7.4						2.7
06		7.6						2.7
07	310	8.9						2.7
08	310	9.4						2.7
09	330	9.4						2.5
10	390	10.4				5.2	3.6	2.5
11	400	10.5				5.7	3.9	2.5
12	430	11.0				5.8	4.0	2.4
13	420	11.2				5.9	4.1	2.4
14	415	11.0				5.8	4.2	2.4
15	415	10.8				5.5	4.0	2.5
16	400	10.5				5.5	3.9	2.5
17	395	10.5				5.3	3.6	2.5
18	360	10.2				4.7		4.9
19	340	10.0						4.2
20		9.8						3.7
21		9.9						2.5
22		9.7						2.5
23		9.9						2.5

Time: 60.0°W.

Sweep: 2.8 Mc to 13.0 Mc in 8 minutes.

Table 15

Guam I. (13.5°N, 144.8°E)

July 1947

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	345	(9.6)					4.4	(2.5)
01	330	(9.5)					4.6	(2.5)
02	290	(9.2)					4.5	(2.5)
03	280	9.0					3.5	2.8
04	250	8.6					2.5	3.0
05	235	7.9					2.8	3.0
06	252	7.9					3.1	3.0
07	250	9.0				(2.7)	5.4	2.9
08	235	9.5			110	3.3	7.4	2.7
09	220	10.2			110	3.7	7.5	2.4
10	230	10.8	220		110	4.0	6.8	2.2
11	(420)	11.4	220			4.2	7.0	2.3
12	(420)	12.2	210		105	4.3	6.5	2.3
13	455	12.8	210	(6.5)			6.0	2.3
14	460	13.0	215	(6.3)			6.0	2.3
15	480	13.3	220				6.5	2.2
16	425	13.6	225				6.0	2.2
17	405	13.4					6.0	2.2
18	265	13.4					6.0	2.2
19	300	12.0					5.2	2.3
20	395	10.9					2.9	2.2
21	380	(10.4)					2.4	2.2
22	380	(11.0)					2.8	2.3
23	370	(10.6)					3.2	2.3

Time: 150.0°W.

Sweep: 1.25 Mc to 18.8 Mc. Manual operation.

Table 16

Trinidad, Brit. West Indies (10.6°N, 61.2°W)

July 1947

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	280	10.4						2.7
01	270	9.7						2.8
02	275	9.2						2.7
03	280	8.7						2.7
04	270	8.2						2.7
05	270	7.6						2.7
06	280	7.4						2.8
07	250	8.4			120	2.8	3.2	2.9
08	240	9.2	230		120	3.4	4.0	2.8
09	320	9.7	225	6.0	120	3.8	4.2	2.6
10	380	10.7	220	6.1	120	4.0	4.8	2.4
11	410	11.2	220	6.2	120	4.2	4.6	2.4
12	410	11.8	230	6.2	120	4.3	5.0	2.4
13	410	12.0	230	6.2	120	4.3	5.0	2.4
14	400	12.1	220	6.2	120	4.2	5.1	2.5
15	400	11.8	230	6.0	120	4.0	5.0	2.5
16	400	11.1	230	5.6	120	3.6	5.1	2.5
17	370	10.7	250	5.6	120	3.1	4.4	2.5
18	280	10.6			110	2.4	4.4	2.5
19	300	10.4					3.5	2.5
20	320	10.6					3.3	2.4
21	330	11.0					2.8	2.4
22	310	11.0					2.4	2.6
23	300	10.8						2.6

Time: 60.0°W.

Sweep: 1.2 Mc to 15.5 Mc. Manual operation.

Table 25

Townsville, Australia (19.4°S, 146.5°E)

May 1947

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	240	7.0					1.9	2.9
01	240	6.1						3.0
02	250	5.8					2.0	3.0
03	250	5.5					1.9	3.0
04	250	4.7					2.7	2.8
05	250	4.4					2.5	2.8
06	250	4.9					2.5	3.0
07	245	9.2				2.4	2.3	3.2
08	240	(11.5)			100	3.1	2.7	
09	245	D	230		100	3.5	2.8	
10	250	D	230			3.8	3.7	
11	290	(12.0)	222	7.0	100	3.9		
12	295	(12.0)	228	7.0	100	4.0	2.5	(2.7)
13	295	(11.5)	220	7.0	100	4.0		(2.7)
14	300	(11.5)	222	7.0	100	3.3	3.3	2.6
15	305	(11.0)	235	6.5	100	3.8	3.3	2.6
16	265	(11.0)	240			3.4	3.5	2.7
17	250	(11.0)				2.6	3.0	2.7
18	250	11.0					3.0	2.8
19	242	10.3					2.9	2.3
20	250	9.2					2.6	2.3
21	250	9.0					2.2	2.8
22	230	8.7					2.5	3.0
23	230	8.0					2.0	3.0

Time: 150.0°E.

Sweep: 1.0 Mc to 13.0 Mc in 1 minute 55 seconds.

Table 26

Brisbane, Australia (27.5°S, 153.0°E)

May 1947

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	275	6.7						2.8
01	290	6.3						2.8
02	300	6.0						2.8
03	290	6.0						2.8
04	295	5.3						2.7
05	280	5.1						2.8
06	260	5.9						2.9
07	230	10.0						3.1
08	230	12.0			120	3.0		3.2
09	230	D			115	3.5	4.0	(3.1)
10	230	(12.5)			110	3.7	4.5	(3.1)
11	230	(12.5)	230		110	3.8	4.0	(2.9)
12	295	12.5	220		105	3.9	4.0	(2.8)
13	300	12.3	225		105	3.9	4.5	(2.8)
14	285	12.2	220		110	3.5	4.7	2.8
15	240	11.8	230		115	3.3	4.3	2.8
16	240	11.5				2.8	4.0	2.3
17	240	11.2					3.8	2.8
18	240	10.0					4.2	2.8
19	250	9.0						2.7
20	260	8.5						2.8
21	260	7.9						2.8
22	260	7.4						2.8
23	270	7.0						2.8

Time: 150.0°E.

Sweep: 2.2 Mc to 12.5 Mc in 2 minutes 30 seconds.

Table 27

Camberra, Australia (35.3°S, 149.0°E)

May 1947

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	270	6.0						2.6
01	260	6.0						2.7
02	280	5.8						2.7
03	280	5.6						2.7
04	250	5.6						2.7
05	240	5.0						2.8
06	250	4.6						2.8
07	250	7.5						3.0
08	240	10.6			110	2.6		3.2
09	240	12.5			105	3.2		3.2
10	240	13.6			100	3.4		3.1
11	240	13.9			100	3.5		3.0
12	240	13.5			100	3.5		2.8
13	250	13.6			100	3.5		2.8
14	250	13.5			110	3.5		2.8
15	250	13.0			110	3.2		2.8
16	240	12.0			110	2.5		2.9
17	250	11.1						3.0
18	240	10.0						2.9
19	250	9.0						2.9
20	250	8.0						2.9
21	250	7.5						2.8
22	250	7.0						2.8
23	250	6.5						2.8

Time: 150.0°E.

Sweep: 1.0 Mc to 16.0 Mc in 1 minute 55 seconds.

Table 28

Hobart, Tasmania (42.8°S, 147.4°E)

May 1947

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	265	5.9					3.2	2.7
01	275	5.8					2.6	2.7
02	282	6.0						2.7
03	272	(5.5)						(2.7)
04	260	5.5						2.8
05	250	5.4						2.8
06	250	5.0						2.8
07	250	5.6						3.0
08	215	8.8			110	2.5	2.1	3.3
09	218	(9.6)			100	2.8		3.6
10	210	(10.0)			100	3.2	2.6	(3.5)
11	215	(10.2)			100	3.4	3.2	(3.5)
12	215				100	3.5		
13	225	9.6			98	3.5	2.1	3.6
14	215	(9.9)			100	3.3	3.1	(3.5)
15	220	(9.8)			100	2.9	2.9	(3.4)
16	215	9.9			100	2.4	2.7	3.5
17	215	9.5						3.5
18	230	9.5						3.2
19	240	8.5						3.1
20	240	7.5						2.9
21	250	7.0						2.8
22	255	6.4						2.8
23	255	6.1						2.7

Time: 150.0°E.

Sweep: 1.0 Mc to 13.0 Mc in 1 minute 55 seconds.

Table 29

Christchurch, N.Z. (43.5°S, 172.7°E)

May 1947

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	280	6.0					2.8	2.6
01	280	5.8					2.7	2.6
02	285	5.9					2.6	2.6
03	280	5.8					2.6	2.7
04	260	5.5					2.6	2.7
05	250	5.3					2.6	2.8
06	250	5.0					2.5	2.9
07	245	6.5				1.4	3.0	3.0
08	230	10.5				2.4	3.1	3.1
09	230	12.7				2.8	3.1	3.1
10	230	D				3.2	4.4	(3.0)
11	230	D				3.4	4.4	(3.0)
12	230	D	220	7.2		3.5	4.4	(3.1)
13	230	D				3.4	4.0	(2.9)
14	240	D				3.2	4.1	2.9
15	240	D				2.8	2.9	2.9
16	230	12.5				2.3	2.7	2.9
17	230	12.0				1.6	2.7	2.8
18	230	10.3					2.5	2.8
19	240	9.2					2.6	2.8
20	240	7.8					2.6	2.8
21	250	7.1					2.7	2.7
22	260	6.5					2.7	2.7
23	270	6.2					2.9	2.6

Time: 172.5°E.

Sweep: 1.0 Mc to 13 Mc.

Table 30

Peshawar, India (34.0°N, 71.5°E)

April 1947

Time	*	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00								
01								
02								
03								
04								
05								
06								
07	300	8.6						
08	300	10.0						2.8
09	(360)	10.0						
10		(9.7)						
11		(12.3)						
12		(11.3)						
13		(12.1)						
14		11.5						
15		(12.1)						
16		(12.2)						
17	360	12.1						
18								
19	360	10.7				3.6		
20	360	9.8				3.7		2.3
21	360	9.3				3.4		
22	(360)	(9.2)				3.2		
2230	360	8.3				3.3		

Time: Local.

Sweep: 1.8 Mc to 16 Mc in 5 minutes. Manual operation.

*Height at 0.53 f°F2.

**Both normal and abnormal values of E.

***M3000, average values; other columns, median values.

Table 31

Delhi, India (28.6°N, 77.1°E)

April 1947

Time	*	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	420	10.4						2.7
01	(420)	(10.0)						
02	420	9.6						
03	390	9.0						
04	420	8.3						2.7
05	390	8.3						
06	360	9.1						
07	360	11.2						
08	360	11.6						2.9
09	390	12.5						
10	420	13.2						
11	420	14.3						
12	420	(14.8)						2.7
13	420	(15.0)						
14	420	(15.0)						
15	420	(15.0)						
16	420	(14.5)						
17	420	(14.0)						
18								
19		(12.5)						
20	390	12.2						2.6
21	420	11.6						
22	420	11.4						
23	420	11.0						

Time: Local.

Sweep: 1.8 Mc to 16.0 Mc in 5 minutes. Manual operation.

*Height at 0.53 f°F2.

***M3000, average values; other columns, median values.

Table 32

Bombay, India (19.0°N, 73.0°E)

April 1947

Time	*	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00								
01		(14.9)						
02								
03	(390)	(11.9)						
04	(420)	(9.7)						2.6
05								
06	(360)	8.4						
07	360	10.2						
08	360	11.8						2.8
09	390	13.2						
10		(14.2)						
11		(14.5)						
12		(14.7)						
13		(15.0)						
14		(15.0)						
15		(15.2)						
16		(15.3)						
17		(15.1)						
18		(15.1)						
19		(15.0)						
20		(15.0)						
21		(14.8)						
22		(14.7)						
23		(14.6)						

Time: Local.

Sweep: 1.8 Mc to 16.0 Mc in 5 minutes. Manual operation.

*Height at 0.53 f°F2.

***M3000, average values; other columns, median values.

Table 33

Madras, India (13.0°E, 80.2°E)

April 1947

Time	*	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00								
01								
02								
03								
04								
05								
06								
07	420	10.8						
08	495	12.6						2.6
09	585	13.3						
10	600	12.7						
11	630	12.8						
12	660	12.9						2.2
13	660	12.9						
14	660	13.4						
15	690	13.8						
16	690	14.2						2.2
17	660	(14.2)						
18	(690)	(14.2)						
19	(660)	(13.2)						
20		(12.9)						
21								
22		(13.5)						
23								

Time: Local.

Sweep: 1.8 Mc to 16.0 Mc in 5 minutes. Manual operation.

*Height at 0.83 f°F2.

**M3000, average values; other columns, median values.

Table 34

Leyte, Philippine Is. (11.0°N, 125.0°E)

April 1947

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00		11.2						2.9
01		9.7						2.9
02		9.7						2.9
03		8.6						2.9
04		7.4					3.1	3.0
05		6.8					3.1	3.0
06		9.2				2.4	3.7	2.9
07		11.6				3.0	4.8	2.8
08		13.2				3.7	5.5	2.5
09		13.2				4.0	5.4	2.4
10		12.3				4.6	7.6	2.3
11		12.0				4.3	6.9	2.2
12		12.2				4.6	<6.0	2.2
13		12.3				4.6	<5.5	2.2
14		13.0				4.2	<4.9	2.2
15		13.2				4.0	5.0	2.2
16		13.1				3.5	4.6	2.2
17		12.9				2.8	3.9	2.2
18		11.6					3.0	2.1
19		9.9						2.0
20		10.2						2.1
21		(11.5)						(2.4)
22		(11.6)					2.0	(2.6)
23		12.2						2.8

Time: 120.0°E.

Sweep: 1.5 Mc to 16.0 Mc. Manual operation.

Table 35

Fiji Is. (18.0°S, 178.2°E)

April 1947

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	(215)	(8.3)					(2.6)	
01	245	(8.6)					(2.6)	
02	240	(8.8)					(2.5)	
03	220	(7.6)					(2.7)	
04		(6.9)					(2.6)	
05	250	(6.2)					(2.6)	
06	235	(6.0)					(2.6)	
07	220	(9.2)				2.3	(3.2)	
08	225	(11.6)				3.0	(4.6)	
09	220	D					(3.8)	
10	215	D			102	3.5	(4.8)	
11	250	D	210	5.5	100	3.8		
12	275	D		7.2	102	3.8	(4.6)	
13	(230)	D			100	3.7	(4.5)	
14	D						(5.1)	
15	(220)	D			100	3.4	(4.8)	
16	(230)	D					(4.8)	
17	(230)	D					(3.8)	
18	(240)	D					(4.5)	
19	(240)	(12.2)					(4.8)	
20	(255)	(11.4)					(2.8)	
21	(245)	(11.3)					(2.8)	
22	(250)	(10.7)					(2.5)	
23	(230)	(11.0)					(2.5)	

Time: 180.0°E.

Sweep: Upper limit, 13.0 Mc.

Table 36

Rarotonga I. (21.3°S, 159.6°W)

April 1947

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00		10.2						
01		9.3						
02		9.0						
03		7.9						
04		7.1						
05		7.0						
06		7.5						
07		11.3						
08		12.6						
09		13.3						
10		14.7						
11		15.2						
12		15.3						
13		15.5						
14		15.4						
15		15.2						
16		15.3						
17		15.0						
18		15.1						
19		14.6						
20		14.4						
21		13.4						
22		11.8						
23		10.8						

Time: 157.5°W.

Sweep: 2.0 Mc to 16.0 Mc. Manual operation.

Table 37

Peshawar, India (34.0°N, 71.5°E)

March 1947

Time	*	f ^o F2	h'F1	f ^o F1	h'E	f ^o E	fEs	F2-M3000
00								
01								
02								
03								
04								
05								
06								
07	(315)	(10.6)						
08	300	10.5			2.8			3.0
09	330	11.7			3.0			
10	360	12.2			3.2			
11	(360)	12.4			3.4			
12	(360)	(12.4)			3.4			2.9
13	(360)	(12.0)						
14		(11.6)						
15		(12.1)						
16	330	11.9						2.9
17	330	11.8						
18	(360)	(11.2)						
19	330	10.1						
20	360	9.3						2.6
21	360	8.6						
22	360	8.1						
2230	360	8.0						

Time: Local.

Sweep: 1.8 Mc to 16.0 Mc in 5 minutes. Manual operation.

*Height at 0.83 f^oF2.

**Both normal and abnormal values of E.

***F2-M3000, average values; other columns, median values.

Table 38

Dacca, India (26.6°N, 77.1°E)

March 1947

Time	*	f ^o F2	h'F1	f ^o F1	h'E	f ^o E	fEs	F2-M3000
00		420	9.1					2.6
01		(420)	(7.8)					
02		420	7.3					
03		(420)	7.2					
04		420	6.1					2.6
05		420	5.8					
06		390	6.6					
07		360	9.4					
08		390	12.1					2.7
09		390	13.2					
10		390	13.8					
11		420	14.3					
12		420	14.8					2.6
13		420	(14.7)					
14		420	(14.5)					
15		420	(14.4)					
16		420	(14.0)					
17		420	(13.5)					
18								
19		(12.0)						
20		420	(12.0)					2.6
21		420	11.5					
22		420	10.9					
23		420	10.3					

Time: Local.

Sweep: 1.8 Mc to 16.0 Mc in 5 minutes. Manual operation.

*Height at 0.83 f^oF2.

**F2-M3000, average values; other columns, median values.

Table 39

Bombay, India (19.0°N, 73.0°E)

March 1947

Time	*	f ^o F2	h'F1	f ^o F1	h'E	f ^o E	fEs	F2-M3000
00								
01								
02								
03								
04		(6.2)						2.8
05	(360)	(6.5)						
06	(360)	(7.3)						
07	360	9.8						
08	360	12.5						2.9
09	390	13.9						
10	390	(14.9)						
11		(15.0)						
12		(15.2)						
13		(15.3)						
14		(15.3)						
15		(15.3)						
16		(15.3)						
17		(15.3)						
18		(15.1)						
19		(14.9)						
20		(15.1)						
21		(14.8)						
22		(14.7)						
23								

Time: Local.

Sweep: 1.8 Mc to 16.0 Mc in 5 minutes. Manual operation.

*Height at 0.83 f^oF2.

**F2-M3000, average values; other columns, median values.

Table 40

Madras, India (13.0°N, 80.2°E)

March 1947

Time	*	f ^o F2	h'F1	f ^o F1	h'E	f ^o E	fEs	F2-M3000
00								
01								
02								
03								
04								
05								
06								
07		480	10.0					
08		540	12.5					
09		600	13.8					
10		600	13.8					
11		660	13.5					
12		660	13.3					
13		660	13.0					
14		720	13.5					
15		720	13.5					
16		660	13.0					
17		660	13.0					
18		660	12.3					
19		660	12.0					
20		(11.3)						
21		(11.1)						
22		(11.0)						
23								

Time: Local.

Sweep: 1.8 Mc to 16.0 Mc in 5 minutes. Manual operation.

*Height at 0.83 f^oF2.

Table 41

Leyte, Philippine Is. (11.0°N, 125.0°E)

March 1947

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00		11.0					2.0	2.9
01		9.5						2.9
02		8.4						2.9
03		7.7						2.8
04		7.4					2.3	2.8
05		5.3					3.0	2.9
06		8.3			2.1	3.5	2.8	2.8
07		11.5			2.9	4.3	2.8	2.8
08		13.6			3.6	4.9	2.6	2.6
09		14.2			4.1	5.6	2.4	2.4
10		13.3				5.6	2.3	2.3
11		13.0			4.4	6.5	2.2	2.2
12		12.5			4.4	6.0	2.2	2.2
13		13.2				7.0	2.2	2.2
14		13.4			4.5	5.5	2.2	2.2
15		13.6			3.6	5.2	2.2	2.2
16		13.6			3.0	4.6	2.1	2.1
17		12.8			2.8	4.6	2.1	2.1
18		11.7				3.2	2.0	2.0
19		10.6					2.0	2.0
20		10.8					2.1	2.1
21		11.0					2.4	2.4
22		11.4					2.0	2.6
23		11.0					2.6	2.8

Time: 120.0°E.

Sweep: 1.6 Mc to 16.0 Mc. Manual operation.

Table 42

Fiji Is. (18.0°S, 178.2°E)

March 1947

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	(275)	(12.4)						(2.6)
01	(250)	D						(2.6)
02	(240)	(10.1)						(2.6)
03	(250)	(9.3)						(2.5)
04	(270)	(9.4)						(2.5)
05	(270)	(8.9)						(2.5)
06	(265)	(9.7)						(2.9)
07	(245)	(11.1)					2.4	(3.7)
08	220	(12.0)				98	3.2	(5.0)
09	(210)	D				95	3.7	(4.9)
10	215	D				98	4.0	(5.0)
11	(310)	D	210	7.3				(5.3)
12	(330)	D	210	7.6	100		4.3	(5.0)
13	(340)	D	215	7.6	100		4.5	(5.3)
14	(340)	D	230	7.6	105		4.3	(4.9)
15	(350)	D	230	7.2	105		4.0	(4.0)
16	(340)	D		7.1	100		3.7	(5.1)
17	(280)	D					3.1	(5.4)
18		D						(5.5)
19		(12.5)						(5.1)
20	(300)	(12.6)						(5.0)
21	(290)	(12.0)						(3.1)
22	(290)	(11.5)						(2.7)
23	(300)	(11.5)						(2.5)

Time: 180.0°E.

Sweep: Upper limit, 13.0 Mc.

Table 43

Leyte, Philippine Is. (11.0°N, 125.0°E)

February 1947

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00		9.2					2.7	2.9
01		8.6						2.8
02		7.4						2.9
03		6.0						2.9
04		6.5						2.8
05		5.4						3.0
06		7.0					2.8	2.8
07		10.7			2.8	3.5	2.8	2.8
08		12.8			3.5	4.6	2.7	2.7
09		13.6			3.8	8.0	2.4	2.4
10		12.6			4.0	8.7	2.3	2.3
11		11.8			4.2	8.6	2.2	2.2
12		11.7			4.3	9.6	2.1	2.1
13		11.8			4.2	8.2	2.1	2.1
14		11.8			4.0	5.1	2.1	2.1
15		12.0			3.7	5.2	2.1	2.1
16		12.2			3.0	4.6	2.2	2.2
17		11.6			2.5	4.0	2.2	2.2
18		10.7					3.0	2.1
19		9.2						2.0
20		(9.4)						2.1
21		10.0						2.4
22		8.8						2.7
23		9.4					2.7	2.7

Time: 120.0°E.

Sweep: Lower limit of frequency, 1.6 Mc. Manual operation.

Table 44

Prince Rupert, Canada (54.3°N, 130.3°W)

January 1947

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	275	2.7						2.9
01	290	2.6						2.9
02	300	2.5						2.8
03	310	2.4						2.8
04	320	2.4						2.8
05	320	2.5						2.8
06	310	2.3						2.8
07	310	2.4						2.8
08	290	3.1			E	E		2.8
09	250	6.5			E	1.8		3.0
10	240	9.4			120	2.3		3.1
11	240	10.5			120	2.6		3.1
12	240	11.4			120	2.7		3.1
13	240	12.4			130	2.8		3.0
14	240	12.5			130	2.7		3.0
15	230	12.0			130	2.5		3.0
16	220	10.9			130	2.2		3.0
17	230	10.1			E	1.7		3.0
18	220	9.2			E	E		3.1
19	220	7.1						3.1
20	240	5.2						3.1
21	250	3.8						3.0
22	260	3.2						3.0
23	260	2.8						3.0

Time: 120.0°W.

Sweep: Manual operation.

Table 45

Leyte, Philippine Is. (11.0°N, 125.0°E)

January 1947

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00		9.5						2.9
01		9.0						2.9
02		7.8						3.0
03		6.5						3.0
04		5.1						3.0
05		4.5						3.0
06		3.9						3.0
07		6.6				2.2	2.4	2.7
08		10.4				2.9	3.7	2.8
09		11.6				3.5	4.7	2.6
10		10.9				3.8	5.0	2.4
11		10.2		5.8		4.0	5.6	2.3
12		10.5					5.4	2.2
13		10.8					5.3	2.2
14		11.2				4.0	5.1	2.2
15		11.7				3.8	4.7	2.2
16		11.9				3.6	4.4	2.3
17		11.9				3.0	4.0	2.4
18		11.6				2.2	3.1	2.4
19		11.2					2.1	2.4
20		10.5						2.2
21		9.8						2.3
22		9.8					1.8	2.5
23		9.7					2.0	2.7

Time: 135.0°E.

Sweep: Manual operation. Lower limit of frequency, 1.6 Mc.

Table 46

Fiji Is. (18.0°S, 178.2°E)

January 1947

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	265	(11.2)						2.6
01	270	10.2						2.5
02	270	9.6						2.5
03	290	(9.5)						2.4
04	280	8.6						2.6
05	270	8.4						2.6
06	250	8.7					2.0	2.4
07	(230)	(10.3)						2.6 (5.0)
08	250	10.7	220	4.8	100			3.4 5.3
09	285	11.1	200	5.4	100			3.6 5.2
10	325	12.9	200	6.4	100			3.8 5.2
11	365	D	200	6.5	100			3.8 5.4
12	355	D		6.5	100			5.2
13	(350)	D	215	6.2	100			(5.8)
14	340	D	200	6.2	100			5.6
15	350	D	220	6.4	100			5.4
16	350	(12.7)	210	6.1	100			3.6 5.2
17	(360)	(10.2)						3.2 (3.8)
18	(370)	(11.4)						2.5 (5.0)
19	(305)							(2.6)
20	(320)	(10.9)						(2.8)
21	(300)							(2.6)
22	280	(11.2)						(2.8)
23	275	(11.0)						2.5

Time: 180.0°E.

Sweep: Upper limit, 13.0 Mc.

Table 47

Leyte, Philippine Is. (11.0°N, 125.0°E)

December 1946

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00		8.7					2.9	2.9
01		8.5					2.4	3.1
02		7.4					2.2	3.1
03		6.7						3.1
04		5.9						3.1
05		5.3						3.1
06		4.6						3.1
07		7.6					2.7	2.9
08		10.9				2.9	3.7	2.9
09		12.9				3.6	5.5	2.8
10		12.8				3.9	7.6	2.5
11		12.0					7.5	2.4
12		11.6					8.6	2.3
13		11.4					8.6	2.2
14		11.3				4.0	9.4	2.2
15		11.6				3.9	8.0	2.3
16		11.8				3.6	5.3	2.3
17		11.8				2.9	4.7	2.3
18		11.2					4.1	2.4
19		10.6					3.3	2.4
20		10.4					2.9	2.3
21		10.4					2.2	2.4
22		10.1					2.8	2.5
23		9.2					2.9	2.7

Time: 135.0°E.

Sweep: Lower limit of frequency, 1.6 Mc. Manual operation.

Table 48

Fiji Is. (18.0°S, 178.2°E)

November 1946*

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	270	(11.3)						
01	(250)	(10.4)						(2.6)
02	(250)	(10.4)						(2.8)
03	(270)	(10.1)						(2.7)
04	(260)	(9.4)						(2.5)
05	(245)	(8.6)						(2.4)
06	(235)	(9.8)						(2.9)
07	(220)	(10.6)						
08					95		2.0	
09							2.9	
10								
11								
12	(340)							
13					95			
14	(320)	D						
15								
16	(300)	D			100			
17	(320)	D			100			
18	(260)				100			(4.7)
19	(270)	(12.6)						(3.7)
20	(280)							(2.7)
21	(290)							(2.6)
22	(280)	(12.1)						
23	280							

Time: 180.0°E.

Sweep: Upper limit 13.0 Mc.

*November 1 through 14, only.

Table 49

Bukhta Tikhaya, U.S.S.R. (80.3°N, 52.7°E)

October 1946

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	300	6.2						
01	300	5.6						
02								
03								
04	300	4.4						
05								
06								
07								
08								
09								
10	300	7.3						
11								
12	290	6.8						
13								
14	280	6.2						
15								
16								
17								
18								
19	300	7.2						
20								
21								
22	300	7.2						
23								

Time: 60.0°E.

Sweep: 1.5 Mc to 9.5 Mc in 5 to 10 minutes. Manual operation.

Table 50

Leningrad (VETKAS), U.S.S.R. (60.0°N, 30.3°E)

October 1946

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	330	4.5						
01	360	4.2						
02	350	4.2						
03	360	4.1						
04	360	4.2						
05	360	4.1						
06	300	4.6						
07	260	5.5						
08	250	7.0						
09	240	8.0			(120)			
10	240	8.3			120	2.6		
11	230	8.4			120	2.6		
12	240	8.5			120	2.8		
13	240	9.0			120	2.8		
14	240	8.1			120	2.6		
15	240	8.2			120	2.7		
16	230	8.5			120	2.4		
17	230	8.2						
18	240	8.4						
19	240	7.4						
20	250	6.4						
21	260	5.4						
22	280	5.2						
23	330	4.6						

Time: 30.0°E.

Sweep: Manual operation.

Table 51

Sverdlovsk, U.S.S.R. (56.7°N, 61.1°E)

October 1946

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	310	4.2						2.5
01	320	4.1						2.5
02	320	4.0						2.5
03	330	3.8						2.5
04	320	3.6						2.4
05	320	3.4						2.5
06	280	4.3						2.7
07	240	6.3			(140)	2.0		3.0
08	240	8.7			140	2.3		3.1
09	230	10.8			130	2.8		3.1
10	230	11.4			120	2.9		3.1
11	230	12.1			120	3.0		3.1
12	230	11.9			120	3.0		3.0
13	230	12.0			120	3.0		3.0
14	230	11.8			120	2.8		3.0
15	240	11.6			130	2.5		3.0
16	240	10.2			130	2.2		3.0
17	240	9.6				(2.0)		3.1
18	240	8.4						3.0
19	250	7.1						2.9
20	250	5.8						2.9
21	270	5.4						2.8
22	280	4.9						2.8
23	290	4.4						2.6

Time: 60.0°E.

Sweep: 1.5 Mc to 14.0 Mc in 5 to 13 minutes. Manual operation.

Table 52

Tomsk, U.S.S.R. (56.5°N, 84.9°E)

October 1946

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	300	4.6						
01	300	4.6						
02	320	4.2						
03	300	4.1						
04	300	4.2						
05	280	4.2						
06	270	4.1						
07	250	5.9			100	1.7		
08	240	8.2			100	2.2		
09	(250)	9.9			100	2.7		
10		12.3						
11		13.6						
12		13.7						
13	(240)	13.8			100	2.9		
14	(240)	13.6			100	2.8		
15	(240)	13.4			100	2.7		
16	(250)	12.4			100	2.4		
17	240	10.2			100	2.0		
18	230	9.1				1.5		
19	230	7.8						
20	240	6.8						
21	250	5.8						
22	280	5.2						
23	300	4.8						

Time: 90.0°E.

Sweep: 1.2 Mc to 10.0 Mc in 5 to 10 minutes. Manual operation.

Table 53

Moscow, (Kramaja Fakhra), U.S.S.R. (55.5°N, 37.3°E) October 1946

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	300	4.2						2.6
01	(320)	3.9						2.6
02	(300)	3.8						2.6
03	(310)	3.7						2.6
04		3.2						2.7
05	(270)	3.4						2.8
06	230	5.2						3.0
07	220	7.4			100	2.4		3.1
08	220	9.0	210		100	2.6		3.2
09	220	10.1	210		100	2.7	3.0	3.2
10	220	11.0	200	4.1	100	3.0	2.8	3.2
11	220	10.8	200		90	3.1		3.1
12	210	11.3	200		90	3.0		3.1
13	210	11.0	210		100	3.0		3.1
14	220	10.7			100	2.8		3.1
15	210	10.5			100	2.5		3.2
16	210	10.0						3.1
17	210	9.4						3.1
18	210	8.2						3.1
19	210	6.8						3.1
20	220	5.9						3.1
21	240	5.0						2.9
22	260	4.5						2.7
23	280	4.2						2.6

Time: 30.0°E.

Sweep: 2.2 Mc to 16.0 Mc in 50 seconds.

Table 54

Alma Ata, U.S.S.R. (43.2°N, 76.9°E)

October 1946

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	240	5.6						
01	240	5.6						
02	240	5.2						
03	240	5.2						
04	(250)	(5.2)						(5.0)
05	(240)	(4.8)						4.8
06	A	A						6.2
07	A	A						6.4
08	A	A						7.4
09	A	A						7.6
10	A	A						8.3
11	A	A						8.7
12	A	A						8.5
13	A	A						8.5
14	A	A						8.4
15	A	A						8.3
16	A	A						8.1
17	A	A						8.0
18	A	A						7.7
19	A	A						7.0
20	(200)	(6.6)						
21	(220)	(6.3)						
22	(240)	(6.1)						
23	(250)	(5.8)						

Time: 75.0°E.

Sweep: 2.0 Mc to 14.0 Mc in 10 to 20 minutes. Manual operation.

Table 55

Fiji Is. (18.0°S, 178.2°E)

October 1946

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	245	10.7					2.5	
01	230	9.6					2.5	
02	230	8.8					2.6	
03	250	7.1					2.6	
04	260	7.0					2.5	
05	255	7.1					2.6	
06	230	8.6			100	1.8	2.6	
07	220	10.5			100	2.7	5.5	
08	230	13.0	220		100	3.2		
09	250	12.7	210	5.0	100	3.6		
10	280	D	200	5.4	100	3.7	5.4	
11	270	D	200	5.8	100	3.8		
12	285	D	190	5.7	100	3.8		
13	310	D	210	6.2	100	3.8		
14	320	D	210	6.4	100	3.7	5.2	
15	300	D	220	6.0	100	3.5	4.9	
16	290	D	225	6.2	100	3.2	3.7	
17	240	D			100	2.6	4.0	
18	250	D			100	1.8	3.0	
19	260	12.6					3.0	
20	270	12.0					2.6	
21	260	11.1					2.5	
22	270	10.9					2.5	
23	260	11.0					2.5	

Time: 180.0°E.

Sweep: Upper Limit 13.0 Mc.

Table 56

Bukhta Tikhaya, U.S.S.R. (80.3°N, 52.7°E)

September 1946

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	250	5.6						
01	230	5.6						
02								
03								
04	260	4.6						
05								
06								
07								
08								
09								
10	250	5.8						
11								
12	250	5.9						
13								
14	250	5.7						
15								
16								
17								
18								
19	250	5.7						
20								
21								
22	250	5.8						
23								

Time: 60.0°E.

Sweep: 1.5 Mc to 9.5 Mc in 5 to 10 minutes. Manual operation.

Table 57

Leningrad (METRAS), U.S.S.R. (60.0°N, 30.3°E)

September 1946

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	300	4.8						
01	300	4.2						
02	320	4.0						
03	300	4.1						
04	320	4.0						
05	290	4.4						
06	260	4.8			120	2.0		
07	260	5.8			120	2.4		
08	260	6.4			120	2.8		
09	280	6.5	250	4.6	120	3.0		
10	300	7.0	250	4.8	120	3.0	3.0	
11	300	7.4	250	4.8	A	A	3.2	
12	290	7.8	250	4.9	A	A	3.0	
13	280	6.9	250	4.8	A	A	3.0	
14	270	8.4	240	4.8	120	3.0	2.5	
15	260	7.9	250	4.9	120	3.0		
16	250	7.6			120	2.8		
17	250	7.7			120	2.4		
18	250	7.8			120	1.9		
19	250	8.0						
20	250	6.8						
21	250	6.6						
22	260	5.8						
23	270	5.5						

Time: 30.0°E.

Sweep: Manual operation.

Table 58

Sverdlovsk, U.S.S.R. (56.7°N, 61.1°E)

September 1946

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	320	4.3						2.5
01	320	4.3						2.5
02	330	4.1						2.5
03	350	3.8						2.5
04	350	3.7						2.5
05	320	3.9						2.6
06	270	5.2						2.8
07	260	6.2	250				2.0	2.8
08	270	6.9	230	4.4	120	2.8		2.8
09	280	8.0	230	4.6	120	3.0		2.8
10	280	8.2	220	4.7	120	3.2		2.8
11	290	8.4	230	4.8	120	3.4		2.8
12	290	8.8	230	4.8	(110)	3.4		2.9
13	280	8.6	230	4.8	(120)	3.2		2.9
14	260	8.9	230	(4.5)	120	3.2		2.9
15	260	8.6	230		120	3.0		3.0
16	250	8.2	230		130	2.8		2.9
17	250	7.9	(230)		(140)	2.3		3.0
18	250	7.8				(2.0)		3.0
19	260	7.4						2.8
20	270	6.8						2.8
21	280	6.1						2.7
22	300	5.0						2.6
23	320	4.6						2.6

Time: 60.0°E.

Sweep: 1.5 Mc to 14.0 Mc in 5 to 13 minutes. Manual operation.

Table 59

Tomak, U.S.S.R. (56.5°N, 84.9°E)

September 1946

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	300	4.6						
01	300	4.2						
02	300	4.0						
03	310	4.0						
04	320	3.8						
05	320	3.9						
06	280	4.8			110	1.8		
07	260	5.8			110	2.2		
08	260	6.5	240	3.8	110	2.6		
09	280	7.2	240	4.2	100	2.8		
10	300	7.9	250	4.4	100	3.2		
11	300	8.4	240	4.6	100	3.2		
12	300	8.5	240	4.6				
13	300	8.9						
14	300	9.1	220	4.5				
15	280	9.0	230	4.2	100	3.0		
16	260	8.6	230	4.0	100	2.8		
17	260	8.4		3.8	100	2.5		
18	240	8.0			100	2.2		
19	240	7.6			100	1.6		
20	240	7.0						
21	240	6.3						
22	260	5.5						
23	280	5.0						

Time: 90.0°E.

Sweep: 1.2 Mc to 10.0 Mc in 5 to 10 minutes. Manual operation.

Table 60

Moscow (Krasnaya Polkva), U.S.S.R. (55.5°N, 37.3°E)

September 1946

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	270	4.6						2.7
01	(290)	4.3						2.7
02	(400)	4.1						2.6
03	(380)	4.0						2.7
04	270	3.6						2.8
05	240	4.3						3.0
06	220	5.7	210	3.6	100	2.4		3.1
07	290	6.6	220	3.8	90	2.6	2.8	3.1
08	260	7.0	210	4.2	90	2.9	3.2	3.1
09	260	7.8	210	4.5	90	3.1	3.4	3.1
10	260	8.6	210	4.5	90	3.3	3.3	3.0
11	260	8.8	210	4.4	90	3.3		3.0
12	270	8.9	200	4.5	90	3.3		3.0
13	260	8.9	200	4.5	90	3.3		3.1
14	260	8.6	210	4.6	90	3.1		3.1
15	230	8.4	210	4.2	90	2.9		3.2
16	230	8.3	230		100	2.6		3.2
17	220	8.1			100	2.3		3.1
18	220	8.3						3.1
19	210	7.9						3.1
20	220	6.8						3.0
21	230	6.0						3.0
22	260	5.3						2.8
23	260	4.9						2.8

Time: 30.0°E.

Sweep: 2.2 Mc to 16.0 Mc in 50 seconds.

Table 61

Fribourg, Germany (46.1°N, 7.5°E)

September 1945

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00		5.3						
01		5.1					2.2	
02		4.8					2.3	
03		4.6					2.3	
04		4.3						
05		4.1						
06		5.7		3.2		1.8	3.5	
07		6.5		3.5		2.4	4.3	
08		7.3		4.5		2.9	5.1	
09		7.9		4.5		3.0	5.2	
10		8.2		4.6		3.3	5.4	
11		8.5		4.6		3.4	5.7	
12		8.5		4.8			5.3	
13		9.0		4.7			5.4	
14		8.9		4.6		3.3	5.2	
15		9.4		4.7		3.1	4.5	
16		9.1		4.5		3.0	4.3	
17		8.7		3.9		2.3	3.5	
18		9.3		3.0			3.3	
19		8.4					3.0	
20		7.3					3.1	
21		6.3					2.4	
22		5.8					2.4	
23		5.5					3.0	

Time: Local.

Sweep: 2.0 to 11.5 Mc, Sept. 1-20, manual operation;
1.4 to 16.6 Mc, Sept. 21-30, automatic operation.

Table 62

Alma Ata, U.S.S.R. (43.2°N, 76.9°E)

September 1946

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	(240)	5.5						5.0
01	240	5.7						4.6
02	260	5.6						
03	240	5.1						
04	250	5.3						4.6
05	240	6.0						5.5
06	200	6.1			100	2.6		4.1
07	200	7.0			100	2.8		4.4
08	200	8.0			A	A		5.8
09	(200)	8.0			A	A		6.9
10	200	8.8			A	A		8.4
11	(200)	9.6			A	A		8.5
12	(200)	9.2			A	A		8.8
13	200	9.2			A	A		8.6
14	A	(8.9)			A	A		7.6
15	(210)	8.8			A	A		8.0
16	(240)	8.5			A	A		8.0
17	(200)	8.1			A	A		8.0
18	A	A			A	A		7.6
19	(200)	7.2						5.2
20	(200)	6.6						
21	(220)	6.3						
22	220	6.0						5.4
23	240	5.4						5.6

Time: 75.0°E.

Sweep: 2.0 Mc to 14.0 Mc in 10 to 20 minutes. Manual operation.

Table 63

Fiji Is. (18.0°S, 178.2°E)

September 1946

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	250	8.2					2.4	
01	240	7.4					2.5	
02	230	6.0					2.4	
03	240	5.1					2.5	
04	255	4.8					2.5	
05	265	4.3					2.5	
06	260	5.4				1.3	2.6	
07	230	9.2			100	2.4		
08	240	10.7	210	4.8	100	3.1	3.4	
09	250	11.6	220	5.2	100	3.4	5.0	
10	260	D	200	5.3	100	3.6		
11	270	12.5	200	5.4	100	3.7		
12	270	12.5	200	5.5	100	3.7		
13	300	(13.3)	210	5.8	100	3.7		
14	300	12.7	220	5.8	100	3.7		
15	295	12.5	220	5.5	100	3.5		
16	275	12.4	230	5.4	100	3.1	3.8	
17	240	12.4			100	2.6		
18	250	11.6			100	1.5	2.8	
19	250	10.6					2.9	
20	250	10.0					2.6	
21	250	9.8					2.5	
22	260	8.9					2.5	
23	250	8.0					2.4	

Time: 180.0°E.

Sweep: Upper limit, 13.0 Mc.

Table 64

Fiji Is. (18.0°S, 178.2°E)

August 1946

Time	h'F2	f°F2	h'F1	f°F1	h'E	f°E	fEs	F2-M3000
00	230	6.8						2.5
01	220	5.6						
02	220	5.0						
03	220	4.0						
04	240	3.4						
05	280	3.2						
06	285	3.5						
07	240	6.9			110	1.6		
08	235	10.3	205	4.8	100	2.7		
09	240	11.7	210	5.0	100	3.3		
10	250	12.6	210	5.2	100	3.6		
11	260	12.0	200	5.2	100	3.7		
12	270	10.8	200	5.3	100	3.7		
13	280	10.7	215	5.6	100	3.7		
14	300	10.7	200	5.5	100	3.6	5.6	
15	300	10.9	240	5.4	100	3.4	4.1	
16	280	11.0	230	5.4	100	3.3		
17	250	10.8			100	2.4	5.0	
18	245	11.0				1.7	4.1	
19	230	10.7					3.5	
20	230	9.4					2.8	
21	240	8.6					3.4	
22	240	7.1					2.8	
23	230	6.9					2.5	

Time: 180.0°E.

Sweep: Upper limit, 13.0 Mc.

TABLE 67

Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D. C.

IONOSPHERIC DATA

National Bureau of Standards

(Institution)

Scaled by: M. S. L. J. L. S.

f°F2 Mc August 1947

(Unit)

(Month)

1947

Observed at Washington, D. C.

Lat. 39.0° N, Long. 77.5° W

75° W Mean Time

Day	morning												noon		afternoon												evening			
	0030	0130	0230	0330	0430	0530	0630	0730	0830	0930	1030	1130	1230	1330	1430	1530	1630	1730	1830	1930	2030	2130	2230	2330						
1	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C						
2	(6.6)	6.2	(5.4) ^S	4.9	(4.8)	4.8	5.4	(6.1) ^B	B	B	B	B	B	B	(7.5) ^B	(7.3) ^B	(7.7) ^B	(7.0) ^B	7.2	(2.2) ^S	7.2 ^S	(6.8) ^S	(6.5) ^S	(5.8) ^A						
3	(5.4) ^S	(5.3)	(5.0) ^S	(4.7) ^A	(4.2) ^S	5.1	(5.8) ^S	C	(6.9)	(7.0)	(6.8)	(6.9)	2.5	C	C	C	C	C	C	C	(8.6) ^S	C	C	C						
4	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	(6.7) ^S	(6.6) ^S	(6.5) ^S	(6.6) ^S	(6.8) ^S							
5	(2.0) ^S	(6.4) ^S	(6.1) ^S	5.2	4.8	(5.1)	(5.9)	(7.0) ^S	7.2	7.8	7.8	8.2	(8.3)	8.2	8.4	8.2	8.0	7.7	7.6	8.0	7.7	7.6	7.6	(2.4) ^S						
6	(6.8)	6.7	(6.3) ^S	5.8	5.6	(5.6) ^S	(6.2) ^S	(6.7)	(7.2) ^S	(7.6)	(7.5)	(7.8)	(2.5) ^S	(7.7) ^S	7.6	7.8	7.6	(7.7) ^S	7.7	7.4	(7.2) ^S	(7.2) ^S	6.9	(6.8) ^S						
7	(6.4) ^S	6.6	6.4	(6.0) ^S	4.9	5.5	(6.5) ^S	7.1	7.1	(7.3) ^B	(7.5)	7.4	7.4	7.4	(7.1) ^S	7.0	6.9	6.9	7.1	7.1	7.0	(7.0) ^S	(7.2)	7.2						
8	(6.6)	(6.1) ^S	(5.6) ^S	(5.9) ^S	(5.2)	5.6	6.1	(6.4) ^S	(6.6) ^S	6.8	(7.2)	7.1	(7.4)	(7.1)	7.0	7.0	6.9	6.9	7.1	7.1	7.2	7.0	6.7	6.9						
9	6.8	6.3	6.2	6.0	(5.7) ^S	5.8	7.1	6.9	(8.0) ^S	8.4	8.7	8.9	8.8	8.8	8.6	8.5	8.4	8.0	8.0	7.6	2.8	(2.4)	(7.3) ^S	7.0						
10	6.9	(6.2) ^S	(6.6) ^S	6.7	5.7	5.9	6.6	7.1	7.1	(6.9) ^S	7.5	(7.4) ^B	7.5	7.2	7.2	(7.2)	7.1	7.1	7.1	7.1	7.4	(7.0) ^S	(6.0) ^S	(6.2) ^S						
11	(5.5) ^S	5.6	(5.3) ^S	5.3	5.2	6.1	7.3	7.3	(7.5) ^S	(7.3) ^S	7.5	7.4	7.6	(2.0) ^B	7.2	7.1	7.0	6.9	7.2	(7.0) ^S	(2.2) ^S	(2.4) ^S	(6.8) ^S	6.0						
12	(5.7)	(5.6) ^S	(4.0) ^S	(4.0) ^S	(4.3) ^S	5.2	(5.7) ^S	(6.0) ^S	(5.9) ^S	C	B ^S	B ^S	B ^S	B ^S	B ^S	B ^S	C	C	C	C	(7.0) ^S	(7.0) ^S	(6.6) ^S	6.6						
13	(5.6) ^S	(5.2) ^S	(5.0) ^S	C	C	(4.8) ^S	5.5 ^S	C	(5.9) ^S	B ^S	C ^S	B ^S	B ^S	B ^S	(6.6) ^S	C ^S	(6.6) ^S	(6.3) ^S	6.6 ^S	6.6 ^S	(6.1) ^S	(6.1) ^S	(6.6) ^S	6.7 ^S						
14	C	C	C	C	4.8	(4.7) ^S	C	C	C	(5.5)	C	B ^S	B ^S	B ^S	C	C	C	C	A	C	C	C	C	(5.0) ^S						
15	5.2	5.4	(5.3) ^S	(5.2) ^S	(5.0) ^S	5.4	(5.8) ^S	(5.8) ^S	C	C	C	C	C	C	C	C	C	C	C	B ^S	(7.1) ^S	C ^S	(5.6) ^S	B ^S						
16	(3.4) ^S	(3.1) ^S	F ^S	C ^S	C ^S	(4.3) ^S	4.6 ^S	G ^S	C ^S	C ^S	C ^S	C ^S	C ^S	C ^S	C ^S	C ^S	C ^S	C ^S	C ^S	C ^S	C ^S	C ^S	C ^S	5.9 ^S						
17	6.9	(5.0) ^S	3.8 ^S	(3.5) ^S	(2.5) ^S	3.7 ^S	4.8 ^S	G ^S	B ^S	B ^S	B ^S	B ^S	B ^S	B ^S	B ^S	B ^S	(5.7) ^S	C ^S	C ^S	C ^S	(5.1) ^S	4.4 ^S	(3.7) ^S	(3.6) ^S						
18	(3.3) ^S	F ^S	(2.6) ^S	(2.3) ^S	2.5 ^S	3.9 ^S	4.6 ^S	5.0 ^S	C ^S	C ^S	C ^S	C ^S	C ^S	C ^S	C ^S	C ^S	(5.7) ^S	(5.6) ^S	C ^S	C ^S	(5.7) ^S	(5.7) ^S	(5.6) ^S	(5.8) ^S						
19	(4.0) ^S	C ^S	(5.9) ^S	(4.5) ^S	(3.6) ^S	(3.7) ^S	(5.4) ^S	G ^S	C ^S	C ^S	C ^S	C ^S	C ^S	C ^S	C ^S	7.0 ^S	(6.8) ^S	(4.8) ^S	C ^S	(6.2) ^S	(6.5) ^S	(5.9) ^S	C ^S	(6.2) ^S						
20	N ^S	3.8 ^S	3.6 ^S	(2.6) ^S	(2.7) ^S	3.8 ^S	(5.0) ^S	C ^S	G ^S	C ^S	C ^S	5.2 ^S	(5.5) ^S	(5.5) ^S	C ^S	C ^S	C ^S	C ^S	C ^S	C ^S	C ^S	C ^S	C ^S	(5.0) ^S						
21	C ^S	C ^S	C ^S	C ^S	C ^S	C ^S	(4.0) ^S	C ^S	G ^S	(5.7) ^S	6.1 ^S	(6.9) ^S	7.2 ^S	7.3 ^S	7.4 ^S	7.0 ^S	7.5 ^S	(2.4)	7.3	(7.0) ^S	(6.7) ^S	(6.2)	(5.6) ^S	(5.6) ^S						
22	(5.1)	(4.6)	(4.3) ^S	C ^S	C ^S	C ^S	C ^S	C ^S	G ^S	G ^S	C ^S	C ^S	G ^S	G ^S	5.4 ^S	G ^S	(5.1) ^S	(5.3) ^S	4.6 ^S	(4.4) ^S	C ^S	C ^S	(4.2) ^S	C ^S						
23	F ^S	F ^S	(2.2) ^S	(2.0) ^S	3.9 ^S	5.3 ^S	6.5 ^S	7.4 ^S	C ^S	C ^S	C ^S	C ^S	C ^S	C ^S	9.0	9.2	9.4	(9.6)	(9.0)	(9.2)	(8.4)	(7.6) ^S	2.2	(6.6) ^S						
24	C	C	(5.5) ^S	(4.6) ^S	(4.9) ^S	3.7 ^S	5.3 ^S	7.0	(7.0)	7.8	8.6	8.6	9.0	9.1	8.6	8.7	9.0	9.2	9.5	9.0 ^S	8.0	(7.0) ^S	(6.8) ^S	(6.1) ^S						
25	(6.0)	(5.8) ^S	(5.3) ^S	N	(3.0) ^S	4.0 ^S	5.6 ^S	(6.2)	6.8	8.2	(8.4)	(8.4) ^S	8.6	9.0	(8.7)	9.2	(9.4) ^S	(9.4)	(9.5)	8.4	(8.0)	(7.1) ^S	(6.8) ^S	(6.7) ^S						
26	C	C	C	C	(4.8) ^S	4.5 ^S	(7.2)	(8.0) ^S	(8.2) ^S	9.4 ^S	8.9	9.0	9.1	9.4	9.1	9.1	(9.2)	9.5	(9.3)	(7.8) ^S	(7.1) ^S	6.9	6.8	C						
27	(7.2) ^S	6.7	5.7	5.2	(4.2) ^S	(4.6)	(2.6) ^S	(7.7) ^S	(8.7) ^S	9.4 ^S	8.9	9.2	9.4	9.7	(9.4)	(9.7) ^S	(9.6) ^S	(9.3)	9.2	C	C	(6.8) ^S	C	(6.8) ^S						
28	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	8.2	(7.7) ^S	7.0 ^S	(6.8) ^S						
29	(4.8)	(6.7) ^S	(6.2)	(6.0) ^S	5.2	5.1	(6.2) ^S	7.1	8.4	9.0	9.5	(9.1)	10.1	10.5	10.1	(9.7)	(9.4)	9.4	9.3	8.5	8.0	7.7	7.2	6.0						
30	6.2	5.7	5.6	5.2	5.0	4.9	6.4	7.1	8.4	9.2	9.6	(9.0) ^S	C	(9.2)	9.8	9.4	9.3	9.1	9.1	9.0	8.1	8.0	(7.4) ^S	(6.9) ^S						
31	7.0	7.0	C	C	(5.5) ^S	(5.5) ^S	7.3	9.0	C	10.0	10.0	(9.8) ^S	10.4	10.2	(10.0)	(10.0)	10.2	(9.0) ^S	(9.7) ^S	(8.8)	(8.4) ^S	(7.6) ^S	(6.8) ^S	(6.4) ^S						
Median	(6.1)	(5.8)	(5.4)	(5.2)	(4.8)	4.9	5.8	7.0	(7.1)	7.8	8.1	8.0	8.4	8.2	8.4	8.2	(7.6)	(7.4)	7.7	7.3	(7.2)	(7.0)	(6.8)	(6.6)						
Count	22	21	23	20	24	27	26	21	22	21	18	20	20	21	21	23	26	25	21	22	27	26	25	27						

Sweep 10 Mc to 25 Mc in 0.25 min

Manual ☐ Automatic ☒

TABLE 68
Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D. C.

h'F1, km, August, 1947
(Characteristic) (Unit) (Month)
Observed at Washington, D. C.
Lat. 39.0°N Long. 77.5°W

IONOSPHERIC DATA

Scaled by: M.S.L. (Institution) J.L.S.
Calculated by: M.S.L.

Day	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1								(250)	230	C	(210)	B	200	200	200	200	(230)	230	Q					
2								Q	230	B	B	B	B	B	B	B	B	B	230	(240)				
3								C	A	A	190	200	200	C	C	C	C	C	C					
4								C	C	C	(200)	C	200	200	200	200	(210)	(210)	210					
5								240	220	200	200	210	200	(230)	190	210	230	230	230					
6								Q	240	220	200	200	200	210	200	210	230	230	230					
7								240	220	200	200	210	200	210	200	210	230	230	230					
8								240	220	200	200	210	200	210	200	210	230	230	230					
9								240	220	200	200	210	200	210	200	210	230	230	230					
10								Q	A	(200)	190	B	B	(210)	A	230	A	(230)	A					
11								Q	200	210	C	B	230	210	210	230	230	230	240					
12								260	230	200	230	(240)	220	210	230	230	C	C	C					
13								C	C	200	210	(230)	(220)	(210)	C	C	C	200	190	240				
14								C	190	C	180	B	B	B	C	C	C	C	C	C				
15								230	(230)	C	C	C	B	B	B	230	230	230	240					
16								250	240	C	C	C	C	C	C	C	C	230	250					
17								300	250	B	B	B	B	B	B	B	240	C	260					
18								C	230	C	C	(230)	230	C	C	C	C	C	C					
19								C	230	C	C	(190)	C	C	C	C	C	C	C					
20								270	200	(200)	(190)	(170)	(200)	(230)	(210)	C	C	C	C					
21								C	240	200	220	220	230	(230)	(200)	200	210	240						
22								(230)	180	200	190	180	230	230	210	C	230	230	A					
23								200	200	Q	180	C	(230)	210	200	200	200	200	Q					
24								220	C	B	190	190	190	200	190	200	210	210	Q					
25								Q	190	180	190	190	200	190	200	200	210	210	Q					
26								240	230	210	200	190	200	190	200	200	210	210	Q					
27								240	220	200	(210)	230	B	(210)	220	Q	240	Q						
28								C	C	Q	190	200	220	210	200	210	220	C						
29								230	220	210	210	(210)	210	210	210	210	210	(220)	Q					
30									Q	220	220	C	C	C	C	210	Q							
31								Q	C	C	200	200	220	230	230	230	230	Q						
Median								230	220	200	200	210	210	210	210	210	210	210	235					
Count								12	19	16	20	21	21	23	21	19	20	17	14					

Manual ☐ Automatic ☒

Sweep 10

Mc to 2.5 Mc min 2.5 min

U. S. GOVERNMENT PRINTING OFFICE 1944 O-133118

TABLE 69
Control Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D. C.

National Bureau of Standards

Scaled by: M. S. L. (Institution) J. L. S.

Calculated by: M. S. L.

IONOSPHERIC DATA

Observed at
Lat. 39.0° N, Long. 77.5° W

1° F1 (Characteristics) Mc (Unit) August 1947 (Month)

75° W Mean Time

Day	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1								L	N	(5.4) ^B	(5.4) ^B	(5.4) ^B	(5.4) ^B	(5.4) ^B	(5.4) ^B	(5.4) ^B	(5.4) ^B	(5.4) ^B	(5.4) ^B	(5.4) ^B	(5.4) ^B	(5.4) ^B	(5.4) ^B	(5.4) ^B
2								Q	(4.8) ^B	(4.8) ^B	(4.8) ^B	(4.8) ^B	(4.8) ^B	(4.8) ^B	(4.8) ^B	(4.8) ^B	(4.8) ^B	(4.8) ^B	(4.8) ^B	(4.8) ^B	(4.8) ^B	(4.8) ^B	(4.8) ^B	(4.8) ^B
3								C	C	A	A	(5.1) ^B	(5.1) ^B	(5.1) ^B	(5.1) ^B	(5.1) ^B	(5.1) ^B	(5.1) ^B	(5.1) ^B	(5.1) ^B	(5.1) ^B	(5.1) ^B	(5.1) ^B	(5.1) ^B
4								C	C	C	C	(5.4) ^B	(5.4) ^B	(5.4) ^B	(5.4) ^B	(5.4) ^B	(5.4) ^B	(5.4) ^B	(5.4) ^B	(5.4) ^B	(5.4) ^B	(5.4) ^B	(5.4) ^B	(5.4) ^B
5								Q	Q	(5.4) ^B	(5.4) ^B	(5.4) ^B	(5.4) ^B	(5.4) ^B	(5.4) ^B	(5.4) ^B	(5.4) ^B	(5.4) ^B	(5.4) ^B	(5.4) ^B	(5.4) ^B	(5.4) ^B	(5.4) ^B	(5.4) ^B
6							L	L	(5.2) ^B	(5.2) ^B	(5.2) ^B	(5.2) ^B	(5.2) ^B	(5.2) ^B	(5.2) ^B	(5.2) ^B	(5.2) ^B	(5.2) ^B	(5.2) ^B	(5.2) ^B	(5.2) ^B	(5.2) ^B	(5.2) ^B	(5.2) ^B
7								Q	Q	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B
8							L	4.9	5.7	(5.5) ^B	(5.5) ^B	(5.5) ^B	(5.5) ^B	(5.5) ^B	(5.5) ^B	(5.5) ^B	(5.5) ^B	(5.5) ^B	(5.5) ^B	(5.5) ^B	(5.5) ^B	(5.5) ^B	(5.5) ^B	(5.5) ^B
9								L	Q	(5.5) ^B	(5.5) ^B	(5.5) ^B	(5.5) ^B	(5.5) ^B	(5.5) ^B	(5.5) ^B	(5.5) ^B	(5.5) ^B	(5.5) ^B	(5.5) ^B	(5.5) ^B	(5.5) ^B	(5.5) ^B	(5.5) ^B
10							1.6	Q	Q	(5.6) ^B	(5.6) ^B	(5.6) ^B	(5.6) ^B	(5.6) ^B	(5.6) ^B	(5.6) ^B	(5.6) ^B	(5.6) ^B	(5.6) ^B	(5.6) ^B	(5.6) ^B	(5.6) ^B	(5.6) ^B	(5.6) ^B
11								Q	Q	(5.6) ^B	(5.6) ^B	(5.6) ^B	(5.6) ^B	(5.6) ^B	(5.6) ^B	(5.6) ^B	(5.6) ^B	(5.6) ^B	(5.6) ^B	(5.6) ^B	(5.6) ^B	(5.6) ^B	(5.6) ^B	(5.6) ^B
12								L	4.7	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B
13								L	L	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B
14								C	C	(5.3) ^B	(5.3) ^B	(5.3) ^B	(5.3) ^B	(5.3) ^B	(5.3) ^B	(5.3) ^B	(5.3) ^B	(5.3) ^B	(5.3) ^B	(5.3) ^B	(5.3) ^B	(5.3) ^B	(5.3) ^B	(5.3) ^B
15									4.4	(4.3) ^B	(4.3) ^B	(4.3) ^B	(4.3) ^B	(4.3) ^B	(4.3) ^B	(4.3) ^B	(4.3) ^B	(4.3) ^B	(4.3) ^B	(4.3) ^B	(4.3) ^B	(4.3) ^B	(4.3) ^B	(4.3) ^B
16								4.4	5.0	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B
17								3.7	(4.2) ^B	(4.2) ^B	(4.2) ^B	(4.2) ^B	(4.2) ^B	(4.2) ^B	(4.2) ^B	(4.2) ^B	(4.2) ^B	(4.2) ^B	(4.2) ^B	(4.2) ^B	(4.2) ^B	(4.2) ^B	(4.2) ^B	(4.2) ^B
18								(4.2) ^B	(4.2) ^B	(4.2) ^B	(4.2) ^B	(4.2) ^B	(4.2) ^B	(4.2) ^B	(4.2) ^B	(4.2) ^B	(4.2) ^B	(4.2) ^B	(4.2) ^B	(4.2) ^B	(4.2) ^B	(4.2) ^B	(4.2) ^B	(4.2) ^B
19							L	(4.4) ^B	(4.4) ^B	(4.4) ^B	(4.4) ^B	(4.4) ^B	(4.4) ^B	(4.4) ^B	(4.4) ^B	(4.4) ^B	(4.4) ^B	(4.4) ^B	(4.4) ^B	(4.4) ^B	(4.4) ^B	(4.4) ^B	(4.4) ^B	(4.4) ^B
20								L	4.6	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B
21								C	4.7	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B
22								3.8	(4.2) ^B	(4.2) ^B	(4.2) ^B	(4.2) ^B	(4.2) ^B	(4.2) ^B	(4.2) ^B	(4.2) ^B	(4.2) ^B	(4.2) ^B	(4.2) ^B	(4.2) ^B	(4.2) ^B	(4.2) ^B	(4.2) ^B	(4.2) ^B
23								L	L	(4.6) ^B	(4.6) ^B	(4.6) ^B	(4.6) ^B	(4.6) ^B	(4.6) ^B	(4.6) ^B	(4.6) ^B	(4.6) ^B	(4.6) ^B	(4.6) ^B	(4.6) ^B	(4.6) ^B	(4.6) ^B	(4.6) ^B
24								L	C	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B
25								Q	L	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B
26								L	L	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B
27								L	L	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B
28								C	C	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B
29								L	L	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B
30								L	L	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B
31								Q	C	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B	(5.0) ^B
Median								4.4	4.8	(5.4) ^B	(5.4) ^B	(5.4) ^B	(5.4) ^B	(5.4) ^B	(5.4) ^B	(5.4) ^B	(5.4) ^B	(5.4) ^B	(5.4) ^B	(5.4) ^B	(5.4) ^B	(5.4) ^B	(5.4) ^B	(5.4) ^B
Count								8	12	15	11	14	15	15	15	12	13	9						

Sweep 1.0 Mc to 25.0 Mc in 0.25 min

Manual ☐ Automatic ☒

TABLE 70

Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D. C.

IONOSPHERIC DATA

h'E (Characteristic) km (Unit) August 1947
 Observed at Washington, D. C.
 Lat 39.0°N, Long 77.5°W

Scaled by: M. S. L. (Institution) J. L. S.
 Calculated by: M. S. L.

Day	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1							C	C	C	C	B	B	B	B	B	B	B	B	B	110				
2						S	C	100	100	B	B	B	B	B	B	B	B	B	B	100	100			
3							A	C	100	A	100	100	100	100	100	100	100	100	100	100	100			
4							C	C	C	C	C	100	100	100	100	100	100	100	100	100	100			
5							110	100	90	100	100	100	90	100	100	100	100	90	90	100	100			
6							100	100	100	100	100	100	100	100	100	100	100	100	110					
7							(100)	100	100	100	100	100	90	C	C	90	90	90	90	90	S			
8							110	100	100	100	100	100	100	100	100	100	100	100	100	100				
9							100	100	100	100	90	90	90	100	100	100	100	100	100	100				
10							90	100	100	100	100	100	100	100	100	100	100	100	100	100				
11							110	100	100	C	C	100	100	100	100	100	100	100	100	100				
12							(110)	100	100	100	100	100	100	100	100	100	100	100	100	100				
13							C	C	C	90	100	100	100	100	100	100	100	100	100	100				
14							C	C	100	100	100	100	100	100	100	100	100	100	100	100				
15							90	100	100	C	C	C	(100)	100	100	90	90	90	100	130				
16							110	100	100	C	C	C	C	C	C	C	C	C	100	100				
17							120	100	100	100	100	100	100	100	100	100	100	100	100	100				
18							C	100	100	C	C	C	C	C	C	C	C	C	C	C				
19							C	C	C	C	C	C	C	C	C	C	C	C	C	C				
20							100	100	90	(90)	(90)	(90)	90	100	100	100	100	100	100	100				
21							C	C	90	90	100	100	90	90	90	90	90	90	100					
22							(90)	100	100	100	100	100	100	100	100	100	100	100	100	100				
23							100	90	100	100	90	C	B	90	90	90	90	100	100					
24							100	100	100	100	100	100	100	100	100	100	100	100	100	100				
25							100	100	100	100	100	100	100	100	100	100	100	100	100	100				
26							S	(110)	100	100	100	100	100	100	100	100	100	100	100	100				
27							(100)	100	100	90	C	100	100	100	100	100	100	100	100	100				
28							C	C	C	100	100	100	100	100	100	100	100	100	100	100				
29							(110)	100	100	100	100	100	100	100	100	100	100	100	100	100				
30							(100)	100	100	100	100	100	100	100	100	100	100	100	100	100				
31							110	100	100	100	100	100	100	100	100	100	100	100	100	100				
Median							100	100	100	100	100	100	100	100	100	100	100	100	100	100				
Count							19	22	23	19	21	24	24	25	24	23	23	23	23	100				

Sweep 10 Mc to 25.0 Mc in 0.25 min

Manual ☐ Automatic ☒

TABLE 71
Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D. C.

National Bureau of Standards
(Institution)

August 1947
(Month)

Mc (Unit)

f°E (Characteristic)

Observed at Washington, D.C.

Scaled by: M.S.L. (Institution)

Calculated by: M.S.L.

Lat 39.0°N, Long 77.5°W

75°W

Mean Time

Day	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1						C	C	C	C	C	B	B	(4.0) A	(4.0) (3.6)	(3.5)	3.3	2.8	(1.8)						
2					(1.7)S	(2.5)	2.9	(3.9)F	B	B	B	B	B	B	B	B	B	B	(3.2)B	(2.8)B	1.7F			
3						A	C	C	C	(3.1)A	A	A	A	(4.1)F	(4.0)F	(3.9)F	(3.8)F	(3.7)F	(3.6)F	(3.5)F				
4						C	C	C	C	C	(4.0)C	C	C	(4.0)	(3.8)	(3.8)C	C	(4.3)C	2.7	1.8				
5						2.1	3.0	3.3	3.7	3.8	A	A	A	(4.0)	(4.0)	A	(3.7)	3.3	2.8	1.7				
6						2.3	3.1	A	3.9F	4.0	4.1	(4.2)	(4.2)	(4.3)	4.3	(4.1)	3.8	(3.3)F	(3.0)S					
7						2.4	3.1	3.8	3.7	(3.8)B	(4.3)B	A	A	A	C	(3.9)	3.8	3.4F	3.0F	(1.4)				
8						(2.0)S	2.9	3.8	4.1	B	4.5	4.4	4.4	(4.2)	C	5	(3.7)C	3.4	2.8					
9						A	A	A	A	(3.8)F	(4.3)	(4.4)	(4.5)	4.4	4.1	3.8	3.4	3.4	A					
10						1.8	(2.9)A	3.1	A	(3.7)A	A	(4.4)	(4.5)	4.3	4.3	3.9	3.5	3.5	2.8					
11						(2.0)	2.8	3.1	C	C	B	(4.1)B	(3.8)B	(3.8)B	(3.6)B	3.4	3.2	2.9	1.8					
12						(2.2)A	3.1F	3.6A	(3.7)A	4.2A	B	4.3A	B	4.3A	(4.3)A	4.0A	C	C						
13						C	3.8	C	3.7A	(3.9)A	(4.0)A	(4.0)A	(3.9)A	C	C	C	3.8A	3.6A	2.7A					
14						C	C	(3.6)	(3.8)	A	(4.0)	A	B	B	B	C	C	C	C					
15						2.1A	2.9A	(3.5)A	C	C	C	B	B	B	B	B	3.7A	3.2A	(2.1)B	(2.5)B				
16						2.2A	(2.9)A	(3.2)A	C	C	C	A	C	C	C	C	C	3.2A	C	(2.0)B				
17						(2.0)A	B	B	B	(3.7)B	(3.9)B	B	B	B	(3.9)B	(3.9)B	3.6A	C	2.1A					
18						(2.2)A	2.9A	3.5A	C	C	C	(3.8)B	(4.0)B	C	C	C	C	(3.2)A	(1.0)B					
19						(1.9)B	(3.0)B	(3.4)B	(3.6)B	(4.0)B	(3.9)B	(4.0)B	(3.9)B	C	C	3.8A	3.6A	3.0A	2.6A					
20						2.1B	2.8A	3.2A	(3.4)A	(3.6)A	(3.8)A	(4.0)A	4.0A	3.8A	3.8A	3.7A	3.3A	2.9A						
21						C	3.5A	(3.6)A	3.8A	4.0A	3.9A	3.9A	3.9A	3.8A	3.8A	3.5A	3.0A	2.3A	(1.5)B					
22						(2.7)B	(3.1)A	3.4A	3.6A	(3.6)A	C	(3.8)A	(3.8)A	(3.6)A	(3.6)A	3.5A	3.0A	2.3A						
23						2.9	3.2	3.6	3.8	3.8	C	B	3.9	3.9	3.9	3.5	3.2A	3.0	(2.3)					
24						(2.7)	C	(3.8)	3.9	3.9	3.9	3.9	3.9	3.8	3.7	3.3	3.0	2.4						
25						(2.0)	2.7	3.3A	3.6	3.7	3.8	(4.2)	3.7	3.9	3.8	3.3	(2.8)F	2.1						
26						1.9	(2.4)	(3.1)	3.6	3.7	3.7	(3.9)	(3.8)	(3.6)	(3.6)	3.4	3.0F	(2.1)S						
27						2.1A	2.8A	3.3F	(3.5)	(3.7)	(4.0)	B	(3.9)B	3.9	3.7	(3.5)	3.0	2.1						
28						C	C	C	A	A	4.0	4.0	4.1	4.0	3.9	3.7	3.5	C						
29						2.1B	2.8	3.2	3.5	3.6	4.0F	B	4.0	3.9	3.7	3.4	3.0	(2.2)F						
30						1.8	(2.6)A	(2.8)	(3.8)	3.9	4.1	C	C	4.1	3.9	3.6	(3.1)F							
31						1.8	(2.3)A	(3.1)E	C	4.0F	4.1	(4.2)	4.2	4.1	3.9	3.7	3.2	2.2						
Median																								
Count																								

Form adopted June 1946

TABLE 72

Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D. C.

Nation Bureau of Standards

Scaled by: M. S. L. (Institution) J. L. S.

IONOSPHERIC DATA

Es _____ Mc/km _____ August 1947
(Characteristic) (Unit) (Month)

Observed at Washington, D. C.

Lat. 39.0°N Long. 77.5°W

75°W Mean Time

Day	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
2	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
3	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
4	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
5	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
6	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
7	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
8	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
9	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
10	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
11	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
12	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
13	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
14	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
15	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
16	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
17	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
18	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
19	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
20	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
21	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
22	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
23	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
24	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
25	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
26	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
27	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
28	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
29	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
30	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
31	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C
Median																								
Count	27	25	24	22	24	26	24	26	23	22	23	24	24	25	24	23	25	25	25	26	25	28	28	28

Sweep 10 Mc to 25 Mc in 0.25 min
Manual ☐ Automatic ☒

TABLE 73 Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D. C.

F2-M1500 (Characteristic) August 1947
Observed at Washington, D. C.

IONOSPHERIC DATA

National Bureau of Standards
Scaled by: M. S. L. (Institution)
J. L. S.

75° W																									Mean Time																									E. J. W.																								
39.0° N																									77.5° W																									Calculated by:																								
Day	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23																																																		
1	C	C	C	C	C	C	1.9	1.9	2.0	1.9	2.0	B	B	B	B	B	1.8	2.0	(2.0)	(2.0) ²	1.8	(1.8) ²	(1.8) ²	(1.8) ²	(2.0) ²																																																	
2	(2.0) ²	1.8	(1.8) ²	(1.6)	1.8	2.0	2.1	(1.9) ²	(1.8) ²	B	B	B	B	B	B	B	(1.8) ²	(1.8) ²	(1.8)	1.8	(1.8) ²	(1.8) ²	(1.8) ²	(2.0) ²																																																		
3	[1.8] ¹	(1.8) ²	(1.8) ²	(1.8) ²	(2.0) ¹	(2.0) ¹	2.2	C	C	(1.8) ²	1.6	G	(1.7) ²	(1.6) ²	C	C	C	C	C	C	C	C	C	C																																																		
4	C	C	C	C	C	C	C	C	C	C	C	(1.8) ²	C	(1.6) ²	(1.4)	[1.6] ²	(1.8) ²	(1.8) ²	(2.0) ²	2.0	(1.8)	(1.8) ²	(1.8) ²	(1.8) ²																																																		
5	(1.8) ²	(1.8) ²	(2.0) ²	(1.8)	1.8	2.0	(2.1)	(2.0) ²	1.9	(1.8)	(2.0) ²	1.8	1.8	1.8	(1.8)	(1.8)	1.8	2.0	2.0	2.0	2.0	(1.8) ²	(1.8) ²	(1.8) ²																																																		
6	1.8	1.6	1.8	1.8	1.8	(2.0) ²	(2.1)	2.1	2.0	1.8	(1.8)	(1.4)	(1.8)	(1.8) ²	1.8	1.8	(1.8) ²	2.0	2.0	(1.8) ²	(1.8) ²	(1.8) ²	(1.8) ²	(1.8) ²																																																		
7	[1.8] ²	1.6	1.8	(1.8) ²	1.8	1.8	(2.0) ²	(1.8) ²	2.0	1.6	(1.6) ²	(1.8) ²	1.6	1.6	[1.8] ²	1.6	1.6	1.7	1.8	1.8	(1.8) ²	1.6	(1.8) ²	1.6																																																		
8	(1.7) ²	1.8	[1.7] ²	(1.6) ²	[1.8] ²	3.0	2.2	(1.6) ²	G	(1.6) ²	1.6	(1.6)	1.6	1.6	1.6	(1.6) ²	1.6	(1.6) ²	1.6	1.8	1.8	1.8	1.8	1.8	1.6																																																	
9	1.6	1.8	1.6	1.6	1.8	1.8	2.0	2.1	2.2	2.1	(1.6) ²	1.7	1.6	1.6	1.7	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8																																																	
10	1.6	(1.6)	1.6	1.7	(1.8)	1.9	(1.9) ²	1.9	A	1.7	(1.6)	1.6	(1.5) ²	1.6	1.6	1.6	1.6	1.8	1.8	1.8	1.8	1.8	(1.6) ²	(1.8) ²	1.8																																																	
11	(1.6)	(1.6) ²	(1.6)	(1.8)	1.8	2.0	2.3	2.0	1.8	1.8	C	1.6	1.6	(1.6)	1.6	1.6	1.6	1.6	1.6	1.8	1.8	(1.7) ²	(1.7) ²	(1.6) ²																																																		
12	1.4	(1.4) ²	N ²	(1.6) ²	(1.6) ²	(1.6) ²	2.0	1.6	(1.6) ²	S	(1.5) ²	B	B	B	B	(1.4) ²	1.6	C	C	C	C	(1.7) ²	(1.7) ²	(1.6) ²																																																		
13	(1.7) ²	(1.6) ²	(1.8) ²	C	C	C	C	C	(1.6) ²	B	B	B	B	B	B	C	1.6	1.6	1.6	1.7	(1.8) ²	(1.6) ²	(1.6) ²	1.8																																																		
14	1.8	C	C	C	1.6	1.8	C	C	(1.6) ²	C	C	(1.6) ²	B	B	C	C	C	C	C	C	1.6	(1.8) ²	C	(1.8)																																																		
15	(1.8)	(1.8)	1.8	1.7	1.8	1.8	1.8	1.8	1.6	C	C	B	B	B	B	B	(1.6) ²	1.6	B	B	1.6	C	C	R																																																		
16	(1.4) ²	(1.6) ²	F	F	(1.6) ²	[1.7] ²	1.8	G	G	C	C	B	C	C	C	C	C	(1.8) ²	C	C	C	(1.9) ²	C	(1.7) ²																																																		
17	1.6	(1.6) ²	1.7	1.4	N ²	(1.4) ²	1.4	B	B	B	B	B	B	B	B	B	G	C	1.8	C	1.6	(1.8) ²	(1.6) ²	1.6																																																		
18	(1.6) ²	(1.6) ²	(1.2) ²	F	(1.6) ²	1.6	C	(2.0) ²	G	C	C	G	G	C	C	C	C	C	C	C	C	C	C	C																																																		
19	C	C	C	C	C	C	C	C	C	C	(3.2) ²	C	C	C	C	C	C	C	C	C	C	C	C	C																																																		
20	C	C	C	C	C	C	C	(2.2) ²	(1.8) ²	(1.4) ²	G	G	G	(1.4) ²	G	B	C	C	C	C	C	C	C	C																																																		
21	C	C	C	C	C	C	C	C	2.2	1.6	G	1.6	1.8	1.8	(2.0) ²	1.8	2.0	2.0	(2.0) ²	2.0	(1.8) ²	(1.8) ²	(1.8) ²	(2.0) ²																																																		
22	(2.0) ²	1.8	1.7	(1.7) ²	C	C	2.2	G	G	G	C	C	G	G	G	G	G	(1.7) ²	(2.0) ²	1.9	1.6	(1.7) ²	(1.7) ²	N																																																		
23	N	N	C	1.8	2.8	2.4	(2.4) ²	2.3	2.2	2.0	2.2	C	1.9	2.0	(1.8)	1.9	2.0	(2.0)	(1.9)	(2.0)	(2.0)	1.9	(1.8) ²	(1.9) ²																																																		
24	(1.8) ²	C	(1.8)	(1.7)	(1.8) ²	1.8	2.4	2.3	C	2.1	2.1	(2.1)	2.0	2.0	2.0	1.9	1.9	1.9	1.9	1.9	2.0	(2.0) ²	(2.0) ²	(1.8)																																																		
25	(1.8)	(1.7) ²	(1.8)	(1.9) ²	(2.0) ²	F	2.2	2.1	(2.0) ²	2.1	1.9	1.8	2.0	2.0	2.0	2.0	2.0	(2.0)	(2.0)	1.9	2.0	(2.0) ²	(2.0) ²	(1.9)																																																		
26	C	C	C	C	(1.8)	(1.8)	(1.9)	(2.2) ²	(2.3) ²	2.1	2.2	1.8	(1.8) ²	(2.0)	1.9	(1.9) ²	2.0	1.9	1.9	(2.0) ²	(2.0) ²	(1.8) ²	(1.8)	1.8																																																		
27	1.8	2.0	1.8	1.7	1.8	(1.8) ²	2.0	(2.2) ²	2.4	2.2	C	(2.0)	(1.9)	(2.0)	1.8	(1.9)	(2.0)	2.0	2.0	C	C	(1.8) ²	(2.0) ²	C																																																		
28	C	C	C	C	C	(2.1) ²	C	C	C	1.9	1.8	1.9	1.7	2.0	1.9	1.9	1.9	C	C	C	C	1.8	(1.8) ²	(1.7) ²																																																		
29	1.6	(1.6)	(1.7) ²	1.8	1.8	(1.7) ²	1.8	(2.1) ²	2.0	1.9	1.9	1.8	(1.8)	1.8	1.8	(1.9)	(1.9)	(1.9)	2.0	1.8	2.0	1.9	(2.0) ²	(1.8) ²																																																		
30	(1.8)	1.6	1.8	1.5	1.6	1.8	2.1	2.1	2.3	1.9	(1.9) ²	1.9	C	(1.9) ²	1.8	(1.8)	1.8	1.9	1.9	2.0	1.9	1.9	1.7	(1.8) ²																																																		
31	(1.6)	1.7	(1.7)	C	(1.7)	(1.7)	2.1	2.1	(2.0) ²	C	(1.9)	(1.9)	(1.8)	1.8	1.7	(1.6) ²	(1.7)	1.8	(1.9) ²	1.9	1.8	(1.8)	(1.8)	(1.7) ²																																																		
Median	(1.8)	(1.6)	(1.8)	(1.7)	1.8	1.8	2.1	2.0	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.8	1.9	1.9	1.8	(1.8)	(1.8)	(1.8)																																																		
Count	13	21	20	19	21	22	25	23	21	20	21	21	21	21	22	21	24	23	22	21	22	26	26	24																																																		

Sweep 1.0 Mc to 2.5 Mc in 0.25 min
Manual ☐ Automatic ☒

TABLE 74

Control Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D. C.

F2-M3000 (Characteristics) August 1947
 Observed at Washington, D. C. (Unit) (Month)

National Bureau of Standards
 Scaled by: M. S. L. (Institution) J. L. S.

Lot 39.0°N, Long 77.5°W

75°W

Mean Time

Calculated by: M. S. L.

Day	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1	C	C	C	C	C	C	2.8	2.9	(3.0)	2.9	2.9	B	(2.6) ¹	(2.6)	(3.0)	2.7	2.8	2.8	(3.0)	(3.0) ⁵	2.9	(2.8) ⁵	(2.7) ⁵	(3.0) ⁵
2	(2.9) ⁵	2.8	(2.6) ⁵	(2.6) ¹	2.8	3.0	3.0	(2.6) ⁹	(2.8) ⁹	B	B	B	B	B	B	B	(2.8) ⁹	(2.8)	(2.7) ⁵	(2.7) ⁵	(2.8) ⁵	(2.8) ⁵	(2.9) ⁵	(2.9) ⁵
3	(2.7) ¹	(2.8) ⁵	(2.8) ⁵	(2.8) ³	(3.0) ¹	(3.0) ¹	3.2	C	C	(2.8) ¹	2.5	G	(2.6) ⁵	(2.6) ⁵	C	C	C	C	C	C	C	C	C	C
4	C	C	C	C	C	C	C	C	C	C	C	C	C	C	C	(2.6) ¹	(2.6) ¹	(2.6) ¹	(2.6) ¹	(2.8)	(2.8)	(2.6) ⁵	(2.6) ⁵	(2.6) ⁵
5	(2.5) ⁵	(2.7) ⁵	(3.0) ⁵	(2.8)	2.7	3.0	(3.2)	(3.0) ⁵	2.9	(2.7)	(2.7)	(2.6)	2.6	2.7	2.8	(2.7)	2.8	2.8	2.9	2.8	(2.6) ⁵	(2.6) ⁵	(2.7) ⁵	(2.7)
6	2.8	2.6	2.8	2.8	2.6	(2.8) ⁵	(3.0)	3.0	2.8	2.7	(2.7)	(2.6)	(2.8)	(2.7) ⁵	2.6	2.7	2.6	(2.4) ⁵	2.7	2.8	(2.8) ⁵	(2.7) ⁵	(2.8) ⁵	(2.6) ⁵
7	(2.8) ⁵	2.6	2.7	(2.8) ⁵	2.8	2.8	(3.0) ⁵	(2.8) ⁵	2.8	2.4	(2.5) ⁵	(2.8) ¹	2.5	2.6	(2.6) ¹	2.6	2.6	2.6	2.7	2.8	(2.7) ⁵	2.6	(2.6) ⁵	2.6
8	(2.8)	2.8	(2.6) ¹	(2.6) ¹	(2.8) ⁵	3.0	3.2	(2.3) ⁵	G	(2.4) ⁵	2.6	(2.5)	2.5	2.5	(2.4) ⁵	2.6	2.4	2.4	2.6	2.6	(2.8) ⁵	2.6	2.6	2.6
9	2.6	2.6	2.4	2.6	2.8	2.8	3.0	3.2	3.2	3.0	(2.6) ⁵	2.6	2.6	2.6	2.6	2.6	2.6	2.8	2.8	2.6	2.6	2.6	2.6	2.8
10	2.3	(2.5)	2.5	2.6	(2.7)	2.7	(2.9) ⁵	2.8	A	2.6	(2.4)	2.4	(2.3) ⁹	2.5	2.6	2.5	2.4	2.6	2.8	2.7	2.8	(2.6) ⁵	(2.6) ⁵	(3.0) ⁵
11	(2.5)	(2.6) ⁵	(2.6)	(2.6)	2.6	2.8	3.4	2.8	2.8	2.7	C	2.4	2.4	2.4	(2.4)	2.4	2.4	2.4	2.6	(2.6) ⁵	(2.6) ⁵	(2.6) ⁵	(2.6) ⁵	(2.6) ⁵
12	2.2	(2.4) ⁵	N ¹	(2.4) ⁵	2.5	(2.4) ⁵	3.0	2.4	(2.4) ⁵	G	(2.2) ⁵	B	B	B	(2.3) ⁵	2.3	C	C	C	C	C	C	(2.7) ⁵	(2.8) ⁵
13	(2.6) ⁵	(2.6) ⁵	(2.8) ⁵	C	C	C	C	C	(2.6) ⁵	C	(2.4) ⁵	B	B	B	C	C	2.4	2.4	2.4	2.6	(2.8) ⁵	(2.4) ⁵	(2.4) ⁵	2.6
14	2.8	C	C	C	2.4	2.6	C	C	(2.6) ⁵	C	C	(2.4) ⁵	B	B	C	C	C	C	C	(2.9) ⁵	C	2.6	(2.8) ⁵	(2.6)
15	(2.6)	2.6	2.6	2.6	2.7	2.6	2.8	2.6	2.4	C	C	C	B	B	B	B	(2.4) ⁵	2.6	B	B	2.4	C	C	R
16	(2.2) ⁵	(2.2) ⁵	F	F	(2.4) ⁵	(2.5) ⁵	(2.6) ⁵	G	G	C	C	B	B	C	C	C	C	(2.4) ⁵	C	C	C	(2.8) ⁵	C	(2.6) ⁵
17	2.5	(2.3) ⁵	2.6	2.2	N ¹	(2.2) ⁵	2.2	B	B	B	B	B	B	B	B	B	C	C	2.6	C	(2.6) ⁵	(2.8) ⁵	(2.5) ⁵	(2.6) ⁵
18	(2.4) ⁵	(2.6) ⁵	(2.4) ⁵	F	(2.8) ⁵	2.6	C	3.0	G	C	C	G	G	C	C	C	C	C	C	C	C	C	C	C
19	C	C	C	C	C	C	C	C	C	C	(2.5) ⁵	C	G	G	C	C	C	C	C	C	C	C	C	C
20	C	C	C	C	C	C	(3.2) ⁵	(2.9) ⁵	(2.2) ⁵	G	G	G	G	(2.2) ⁵	G	B	C	C	C	C	C	C	C	C
21	C	C	C	C	C	C	C	C	2.3	2.4	G	2.4	2.8	2.6	(2.7) ⁵	2.8	2.9	3.0	(3.0) ⁵	(2.8) ⁵	(2.8) ⁵	(2.8) ⁵	(2.8) ⁵	(3.0) ⁵
22	(3.0) ⁵	2.8	2.6	(2.5) ⁵	C	C	3.2	G	G	G	C	C	G	G	G	G	G	(2.6) ⁵	(2.6) ⁵	2.5	(2.6) ⁵	(2.6) ⁵	(2.6) ⁵	N
23	N	N	C	3.0	(3.2) ⁵	3.4	(3.5) ⁵	3.4	3.3	3.0	3.3	C	2.9	3.0	(2.8)	2.8	2.9	(2.9)	(2.9)	(3.0)	(3.0)	2.9	(2.8) ⁵	(2.9) ⁵
24	(2.6) ⁵	C	(2.7)	(2.6)	(2.5) ⁵	2.8	3.5	3.3	C	3.0	3.2	(3.0)	2.9	3.0	2.9	2.8	2.8	2.8	2.8	(3.0)	3.0	(3.0)	(2.9) ⁵	(2.8)
25	(2.7)	(2.6) ⁵	(2.7)	(2.8) ⁵	(3.0) ⁵	F	3.2	3.2	(2.9) ⁵	3.1	2.9	2.8	2.9	3.0	3.0	3.0	2.9	(3.1)	(3.0)	2.8	3.0	(3.0)	2.9	(2.9) ⁵
26	C	C	C	C	C	(2.6)	(3.1)	(3.2) ⁵	(3.2) ⁵	3.0	3.2	2.8	2.7	(2.8) ⁵	2.8	(2.8)	2.8	2.7	2.8	(3.0) ⁵	(3.0) ⁵	(2.8) ⁵	(2.8)	C
27	2.6	2.8	2.6	2.6	2.6	(2.8) ⁵	2.9	(3.2) ⁵	3.2	3.1	C	(3.0)	(2.6)	(2.8) ⁵	2.8	(2.8)	(3.0)	3.0	3.0	C	C	(3.0) ⁵	(2.8) ⁵	C
28	C	C	C	C	C	(3.2) ⁵	C	C	C	2.8	2.8	2.8	2.8	2.8	2.8	2.8	2.9	C	C	C	C	2.7	(2.8) ⁵	(2.6) ⁵
29	2.6	(2.6)	(2.5) ⁵	2.8	2.8	(2.6) ⁵	2.8	(3.1) ⁵	3.0	2.9	2.8	2.6	(2.6)	(2.6)	2.7	(2.8)	(3.1)	(2.9)	3.0	2.8	2.9	2.7	(2.8) ⁵	(2.8) ⁵
30	(2.8)	2.5	2.7	2.2	2.5	2.9	3.1	3.1	3.0	2.9	(2.9) ⁵	2.8	C	(2.8) ⁵	(2.8)	2.8	2.8	2.8	2.8	3.4	2.9	2.9	(2.9) ⁵	(2.9) ⁵
31	(2.6)	2.6	(2.6)	C	(2.6)	(2.7)	3.1	2.9	(3.0) ⁵	C	(2.8)	(2.8)	(2.6)	2.6	2.9	(2.9) ⁵	(2.6)	2.6	(2.8) ⁵	2.8	2.8	2.4	(2.7)	(2.6) ⁵
Median	(2.6)	(2.6)	(2.6)	(2.6)	2.7	2.8	3.1	2.9	2.8	2.8	2.8	2.6	2.6	2.6	2.8	2.8	2.7	2.7	2.7	2.8	2.8	2.6	(2.8)	(2.6)
Count	25	21	20	19	21	22	25	23	23	22	20	21	22	21	22	21	21	23	22	21	22	26	26	24

Sweep 1.0 Mc to 2.5 Mc in 0.25 min

Manual ☐ Automatic ☒

Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D. C.

TABLE 75

IONOSPHERIC DATA

FI-M3000 (Unit) August 1947
(Month)
Observed at Washington, D. C.

National Bureau of Standards
(Institution)

Scaled by: M. S. L. J. L. S.

Observed at Washington, D. C.
Lat 39.0° N, Long 77.5° W

75° W Mean Time

Day	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23
1							C	L	N	(3.5)	3.7 ^H	B	3.6	(3.2)	[3.7] ^H	3.6	L	L	q					
2								q	(3.6) ^B	B	B	B	B	B	B	B	B	B	(3.4) ^B	L				
3								C	C	A	A	(4.2)	(3.8) ^B	(3.6)	C	C	C	C	C					
4								C	C	C	C	(3.7) ^C	C	(3.2)	3.6	[3.6] ^C	[3.4] ^C	(3.5) ^C	(4.0)					
5									q	3.7	(3.8)	[3.6] ^L	3.5	4.0 ^H	(4.0)	(3.0) ^H	(3.6)	L	L					
6							L	L	(3.4)	3.6	(3.6)	(3.6) ^H	(3.4) ^H	(3.4) ^H	3.4 ^H	3.4 ^H	L	L						
7								q	3.6	(3.5)	B	(3.8) ^B	3.8	3.7	[4.2] ^C	3.8 ^H	3.6 ^H	L	L					
8							L	3.4	3.4	3.6	3.7	B	(3.6)	(3.6)	3.8	4.0	3.6	3.6	L					
9								L	q	(3.8) ^H	3.6	(3.6)	3.7	C	C	A	(3.6)	L	L					
10						3.8	q	q	A	3.6	(3.4) ^H	B	B	(3.6)	3.5	3.8	3.6	3.6	A					
11								q	L	3.4	C	B	B	B	3.8	3.6	3.6	3.5 ^F	L					
12							L	3.2 ^K	3.4 ^K	3.6 ^K	3.6 ^K	3.8 ^K	3.8 ^K	3.6 ^K	3.6 ^K	C	C	C						
13							L	L	3.9 ^K	3.8 ^K	3.8 ^K	(3.8) ^B	3.6 ^K	C	C	C	3.8 ^F	3.4 ^K	3.4 ^K					
14								C	N	C	C	3.9	3.5	(3.8) ^B	C	C	C	C	C					
15								(3.6) ^K	(3.6) ^K	C	C	C	B	B	B	B	(3.6) ^B	3.6 ^K	3.4 ^K					
16								3.4 ^K	3.5 ^K	C	C	(3.6) ^B	C	C	C	C	C	(3.4) ^K	3.2 ^K					
17							3.0 ^K	(4.0) ^B	B	B	B	B	B	B	(3.8) ^B	B	3.6 ^K	C	L					
18								(3.6) ^K	(3.6) ^K	C	C	(3.2) ^K	3.8 ^K	C	C	C	C	C	C					
19							L	C	C	C	C	C	C	C	C	C	C	C	q					
20								L	3.6 ^K	C	C	C	C	(3.6) ^K	4.0 ^K	B	C	C	C					
21								C	3.8 ^K	3.6 ^K	3.2 ^K	3.0 ^K	3.6 ^K	(3.6) ^K	(4.0) ^K	3.5 ^K	L	L						
22								3.8 ^F	(3.6) ^K	(3.9) ^K	C	C	3.7 ^K	3.9 ^K	4.1 ^K	C	3.9 ^K	(3.8) ^K	A					
23								L	L	q	L	C	L	L	L	L	L	L	q					
24								L	C	B	L	L	L	L	L	L	L	q						
25								q	L	L	L	L	L	L	L	L	L	L	q					
26								L	L	L	L	L	L	L	L	L	q							
27								L	L	L	C	L	B	L	L	q	L	q						
28								C	C	q	L	L	L	L	L	L	L	C	C					
29								L	L	L	L	L	L	L	L	L	L	L	q					
30									q	q	L	L	C	C	L	L	q							
31									q	C	L	L	L	L	3.7	L	L	q						
Median								3.6	3.6	3.6	3.6	(3.6)	3.7	(3.6)	3.8	3.6	3.6	3.5						
Count								7	11	12	9	12	13	14	14	11	13	8						

Sweep 1.0 — Mc to 25.0 Mc in 0.25 min

Manual ☐ Automatic ☒

Form adopted June 1946

TABLE 76

Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D. C.

IONOSPHERIC DATA

E-M1500 (Characteristic) August 1947
 Observed at Washington, D. C.

National Bureau of Standards
 Scaled by: M. S. L. (Institution)
 Calculated by: M. S. L.

Observed at																								Calculated by: M. S. L.																																															
Lat. 390°N, Long. 77.5°W																								75°W																								Mean Time																							
Day	00	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23																																															
1							C	C	C	C	C	B	(5.0)	A	(4.2)	(4.6)	(4.8)	4.6	4.8	(4.8)	(4.6) ⁰	(5.0) ^f																																																	
2						S	(4.2)	4.6	(4.6) ^f	B	B	B	B	B	B	B	B	B	(4.8) ⁰	(4.6) ⁰	(5.0) ^f																																																		
3							A	C	C	(4.8) ^A	A	A	A	(3.9) ^f	(4.4) ^f	(4.4) ^f	(4.4) ^f	(4.4) ^f	(4.0) ^f																																																				
4							C	C	C	C	C	(5.0) ^c	C	(4.5)	(4.6)	(4.6) ^c	C	(4.6) ^c	4.6	3.8																																																			
5							4.6	4.7	4.6	4.6	4.8	A	A	(5.0)	(5.0)	A	(4.8)	4.7	4.4	5.0																																																			
6							4.8	4.6	A	4.6 ^f	4.8	4.8	(4.8)	(4.6)	(4.6)	(4.8)	4.4	(4.8) ^f	(3.6) ^s																																																				
7							4.6	4.8	4.6	4.8	(4.8) ⁰	(4.6) ⁰	A	A	C	(4.6)	4.4	4.6 ^f	4.6 ^f	(4.4)																																																			
8							(4.6) ^s	5.2	5.2	4.8	4.9	B	4.6	4.5	(4.8)	C ^s	(4.1) ^s	4.4	4.2																																																				
9							A	A	A	A	(4.8) ⁰	(4.6)	(4.6)	(4.4)	4.4	4.4	4.6	4.6	A	A																																																			
10							4.7	(5.0) ^A	4.8	A	(4.8) ^A	A	(4.9)	(4.8)	4.8	4.7	4.5	4.6	4.5																																																				
11							(5.0)	4.6	5.0	A	C	B	(5.2) ⁰	(4.7) ⁰	(4.9) ⁰	4.8	4.5	4.5	5.0																																																				
12							(4.6) ¹	4.5 ¹	4.5 ¹	4.8 ^K	(4.8) ^K	B ^K	4.6 ^K	B ^K	(4.6) ^K	(4.5) ^K	C	C	C																																																				
13							C	C	C	4.8 ^K	(4.8) ^K	(5.0) ^K	(4.8) ^K	5.2 ^K	C ^K	C ^K	4.8 ^K	4.8 ^K	4.8 ^K																																																				
14							C	C	(4.8)	C	C	(5.0)	5.0	B	C	C	C	C	C																																																				
15							5.0 ^K	5.2 ^K	(5.0) ^K	C ^K	C ^K	C ^K	B ^K	B ^K	B ^K	B ^K	4.8 ^K	4.8 ^K	(4.6) ^K	(3.4) ^K																																																			
16							4.8 ^K	(5.0) ^K	(5.0) ^K	C ^K	C ^K	B ^K	C ^K	C ^K	C ^K	C ^K	C	4.6 ^K	4.6 ^K	(4.8) ^K																																																			
17							(4.8) ^K	B ^K	B ^K	B ^K	(4.6) ^K	(4.6) ^K	B ^K	B ^K	(4.8) ^K	(4.7) ^K	4.8 ^K	C ^K	4.6 ^K																																																				
18							C ^K	4.5 ^K	4.6 ^K	C ^K	C ^K	C ^K	(4.4) ^K	(4.5) ^K	C ^K	C ^K	C ^K	C ^K	C ^K																																																				
19							C ^K	C ^K	C ^K	C ^K	(5.0) ^K	C ^K	C ^K	C ^K	C ^K	C ^K	C ^K	C ^K	C ^K																																																				
20							(4.9) ^K	4.8 ^K	4.8 ^K	C ^K	C ^K	C ^K	C ^K	C ^K	5.0 ^K	4.8 ^K	B ^K	C ^K	C ^K																																																				
21							C ^K	C ^K	3.6 ^K	(4.6) ^K	4.7 ^K	3.8 ^K	4.6 ^K	4.7 ^K	4.6 ^K	4.6 ^K	4.7 ^K	4.7 ^K																																																					
22							(4.4) ^K	(4.8) ^K	4.5 ^K	4.5 ^K	4.7 ^K	C ^K	C ^K	(4.7) ^K	C ^K	(4.5) ^K	4.6 ^K	4.6 ^K	4.6 ^K	(4.4) ^K																																																			
23							4.5	5.3	4.4	4.4	4.6	C	B	4.6	4.6	4.8	4.5 ^H	4.6	(4.6)																																																				
24							(4.8)	C	B	(4.7)	4.6	4.7	(4.7)	4.3	4.2	4.6	4.7	(4.8) ^f	4.9																																																				
25							(4.4)	4.8	5.0 ^H	4.7	4.8	4.7	(4.7)	4.3	4.2	4.6	4.7	(4.8) ^f	4.9																																																				
26							(4.2)	(4.7)	4.9	4.9	4.9	4.9	(4.8)	(4.6) ^c	(4.4)	(4.3)	4.4	4.3	(4.8) ^s																																																				
27							4.6 ^H	4.2 ^H	4.2 ^H	(5.0)	C	(5.0)	B	(4.5) ⁰	4.5	4.8	(4.8)	4.5	4.8																																																				
28							C	C	C	A	A	4.4	4.5	4.5	4.5	4.3	4.4	C	C																																																				
29							4.3 ^H	4.5	4.7	4.3	4.3	4.5	B	4.5	4.5	4.6	4.7	4.0	(4.5) ^f																																																				
30							4.6	(4.6) ^H	(5.0)	(4.7)	4.6	4.5	C	C	4.4	4.6	5.2	(4.5) ^f																																																					
31							5.2	4.2	(4.8) ^H	[4.8] ^f	C	4.8 ^f	4.8	(4.8)	4.2	4.3	4.5	4.6	4.8																																																				
Median							4.6	4.7	4.8	4.7	4.8	4.6	(4.8)	4.6	4.6	4.6	4.7	4.6	4.6	(4.6)																																																			
Count							18	21	21	15	19	17	16	20	23	20	23	23	21	9																																																			

Sweep 1.0 Mc to 2.5 Mc in 0.25 min

Manual ☐ Automatic ☒

U. S. GOVERNMENT PRINTING OFFICE 1946 O - 155113

Ionospheric Storminess at Washington, D.C.August 1947

Day	Ionospheric character*		Principal storms		Geomagnetic character**	
	00-12 GCT	12-24 GCT	Beginning GCT	End GCT	00-12 GCT	12-24 GCT
1	***	3			3	3
2	0	***			3	3
3	2	3			2	3
4	***	1			3	2
5	1	3			2	2
6	1	1			3	3
7	0	1			2	2
8	2	1			2	2
9	1	3			2	2
10	2	2			2	2
11	1	3			2	3
12	4	6	0700	---#	5	3
13	0	***	1400	---/	3	4
14	1	***	-----	0500	3	2
15	2	***	1500	----	3	5
16	6	***	-----	----	4	5
17	4	***	-----	----	5	4
18	5	***	-----	----	5	4
19	***	4	-----	----	4	5
20	4	6	-----	----	4	4
21	4	3	-----	2200	5	4
22	3	7	0700	----	5	5
23	5	1	-----	1100	5	4
24	1	2			4	3
25	1	2			5	3
26	***	2			3	2
27	0	2			4	1
28	***	2			2	3
29	1	2			2	3
30	1	1			2	1
31	0	2			2	4

*Ionosphere character figure (I-figure) for ionospheric storminess at Washington, D.C., during 12-hour period on an arbitrary scale of 0 to 9, 9 representing the greatest disturbance.

**Average for 12 hours of Cheltenham, Maryland, magnetic K-figures on an arbitrary scale of 0 to 9, 9 representing the greatest disturbance.

***No readable record. Refer to Table 66 for detailed explanation.

#Time of ending unknown because of loss of record,

/Dashes indicate continuing storm.

Sudden Ionosphere Disturbances Observed at Washington, D. C.

1947 Day	GCT		Location of transmitters	Relative intensity at minimum*	Other phenomena
	Beginning	End			
August					
1	1518	1645	Ohio, D.C., England, New Brunswick, Ontario	0.0	Terr.mag.pulse** 1518-1525
1	2013	2020	Ohio, D.C., Mexico, Ontario	0.2	
1	2228	2305	Ohio, D.C., Mexico, Ontario	0.2	
1-2	2352	0010	Ohio, Mexico, Ontario	0.2	
2	1409	1440	Ohio, D.C., England, Mexico, New Brunswick, Ontario	0.03	
2	1640	1730	Ohio, D.C., Ontario	0.1	
2	1937	2010	Ohio, D.C., Ontario	0.1	
2	2148	2215	Ohio, D.C., Mexico, Ontario	0.2	
2-3	2346	0010	Ohio, Mexico, Ontario	0.3	
7	1247	1305	Ohio, D.C., England, Ontario	0.03	
8	1545	1620	Ohio, D.C., England, Ontario	0.05	
9	2130	2145	Ohio, Mexico, New Brunswick, Ontario	0.2	
9	2315	2335	Mexico	0.5	
10	1603	1725	Ohio, D.C., England, New Brunswick, Ontario	0.0	
12	1402	1430	Ohio, D.C., England, New Brunswick, Ontario	0.1	
13	1405	1420	Ohio, D.C., England, Mexico, New Brunswick, Ontario	0.05	
14	1616	1700	Ohio, D.C., Ontario	0.1	
14	1741	1805	Ohio, D.C., Ontario	0.1	
17	1715	1855	Ohio, D.C., England, New Brunswick, Ontario	0.1	
23	1634	1740	Ohio, D.C., England, New Brunswick, Ontario	0.0	
24	1342	1425	Ohio, D.C., England, Ontario	0.0	Terr.mag.pulse** 1340-1400
24	2156	2230	Mexico	0.3	
25	1800	1830	Ohio, D.C., England, New Brunswick	0.05	
25	1932	1950	Ohio, D.C., Ontario	0.1	
29	1625	1710	Ohio, D.C., England, New Brunswick, Ontario	0.0	
30	1625	1710	Ohio, D.C., England, Ontario	0.03	
31	1451	1540	Ohio, D.C., England, Mexico, New Brunswick, Ontario	0.0	Terr.mag.pulse** 1452-1515

*Ratio of received field intensity during SID to average field intensity before and after, for station W8XAL, 6080 kilocycles, 600 kilometers distant, for all SID except the following: Station XEWW, 9500 kilocycles, 3000 kilometers distant was used for the SID on August 9 at 2315 and on August 24 at 2156.

**As observed on Cheltenham magnetogram of the United States Coast and Geodetic Survey.

Table 79
Sudden Ionosphere Disturbances Reported by Engineer-in-Chief,
Cable and Wireless, Ltd., as Observed in England

1947 Day	GCT Beginning End	Receiving station	Location of transmitters	1947 Day	GCT Beginning End	Receiving station	Location of transmitters
July 23	1430 1500	Brentwood	Austria, Belgian Congo, Canary Is., Colombia, India, Iran, Kenya, Palestine, Portugal, Southern Rhodesia, Spain, Switzerland, Syria, Turkey, Thailand, U.S.S.R., Yugoslavia	July 31	0700 0720 1205 1230	Somerton Brentwood	Ceylon, China, India, Malay States Austria, Belgian Congo, Bulgaria, Colombia, Iran, Kenya, Palestine, Portugal, Southern Rhodesia, Spain, Switzerland, Turkey
24	1225 1250	Brentwood	Canary Is., Chile, Colombia, Palestine, Portugal, Spain, Switzerland, Thailand, U.S.S.R., Yugoslavia	31	1405 1415	Brentwood	Belgian Congo, Colombia, Kenya, Southern Rhodesia, Spain, Turkey, Uruguay
25	0850 0945	Brentwood	Afghanistan, Canary Is., Greece, India, Kenya, Portugal, Southern Rhodesia, Spain, Switzerland, Syria, Turkey, U.S.S.R., Yugoslavia, Zanzibar	31	1440 1510	Brentwood	Austria, Belgian Congo, French Equatorial Africa, Kenya, Portugal, Southern Rhodesia, Spain, Switzerland
29	1035 1055	Brentwood	Austria, Bahrain I., Belgian Congo, Canary Is., Greece, India, Iran, Kenya, Madagascar, Palestine, Portugal, Southern Rhodesia, Spain, Switzerland, Syria, Turkey, U.S.S.R., Yugoslavia, Zanzibar	31	1445 1515	Somerton	Argentina, Brazil, Canada, Gold Coast, New York, Nigeria, Union of S. Africa
29	1040 1100	Somerton	Argentina, Australia, Brazil, Ceylon, China, Egypt, India, Malay States, Union of S. Africa	31	1840 1855	Brentwood	Austria, Canary Is., Chile, Colombia, Iran, Palestine, Portugal, Surinam, Turkey, Venezuela
29	1110 1145	Brentwood	Austria, Bahrain I., Belgian Congo, Canary Is., Greece, India, Iran, Kenya, Madagascar, Palestine, Port- ugal, Southern Rhodesia, Spain, Switzerland, Syria, Turkey, Uruguay, U.S.S.R., Yugoslavia, Zanzibar	31	1845 1905	Somerton	Argentina, Barbados, Brazil, Canada, New York
29	1110 1140	Somerton	Argentina, Australia, Brazil, Ceylon, China, Egypt, India, New York, Union of S. Africa	August 1	0745 0830	Brentwood	Afghanistan, Austria, Belgian Congo, Canary Is., Greece, India, Iran, Kenya, Madagascar, Palestine, Port- ugal, Southern Rhodesia, Spain, Switzerland, Syria, Turkey, U.S.S.R., Yugoslavia, Zanzibar
30	0740 0800	Brentwood	Afghanistan, Austria, Belgian Congo, Bulgaria, Greece, India, Kenya, Southern Rhodesia, U.S.S.R., Yugo- slavia, Zanzibar	1	0745 0830	Somerton	Ceylon, China, Egypt, Gold Coast, India, Malay States, Nigeria, Union of S. Africa
30	1200 1230	Brentwood	Austria, Belgian Congo, Bulgaria, Canary Is., Greece, Iran, Kenya, Madagascar, Palestine, Southern Rhodesia, Spain, Switzerland, Syria, U.S.S.R., Zanzibar	1	0920 0940 1515 1540	Brentwood Brentwood	Belgian Congo, Kenya, Southern Rhodesia, Syria
30	1200 1220	Somerton	Argentina, Brazil, Ceylon, India, Union of S. Africa	1	1517 1545	Somerton	Austria, Belgian Congo, Bulgaria, Canary Is., Chile, Colombia, French Equatorial Africa, Greece, India, Iran, Kenya, Madagascar, Palestine, Portugal, Southern Rhodesia, Spain, Switzerland, Syria, Thailand, Turkey, Uruguay, U.S.S.R., Yugo- slavia, Zanzibar
31	0700 0720	Brentwood	Austria, Belgian Congo, Bulgaria, Greece, India, Iran, Kenya, Port- ugal, Southern Rhodesia, Syria, Turkey, U.S.S.R., Zanzibar	2	0825 0905	Brentwood	Argentina, Australia, Barbados, Brazil, Canada, Ceylon, China, New York, Egypt, Gold Coast, India, New York, Nigeria, Union of S. Africa

Table 79 (Continued)

1947 Day	GCT Beginning End	Receiving station	Location of transmitters
August 2	0955 1015	Brentwood	Belgian Congo, Canary Is., India, Kenya, Southern Rhodesia, Spain, Turkey, U.S.S.R., Zanzibar
2	1410 1435	Brentwood	Austria, Belgian Congo, Bulgaria, Canary Is., Iran, Palestine, Spain, Switzerland, Syria, Turkey, Zanzibar
2	1412 1435	Somerton	Argentina, Brazil, Canada, Ceylon, Gold Coast, New York, Nigeria, Union of S. Africa
7	1250 1305	Brentwood	Austria, Belgian Congo, Bulgaria, Canary Is., Chile, Greece, Iran, Kenya, Madagascar, Palestine, Portugal, Southern Rhodesia, Spain, Switzerland, Syria, Thailand, Turkey, U.S.S.R., Yugoslavia
7	1250 1310	Somerton	Argentina, Barbados, Brazil, Canada, Gold Coast, New York, Nigeria, Union of S. Africa
11	1055 1120	Brentwood	Belgian Congo, Canary Is., India, Iran, Kenya, Palestine, Portugal, Southern Rhodesia, Spain, Switzerland, U.S.S.R.
12	1225 1300	Brentwood	Austria, Belgian Congo, Canary Is., Greece, India, Iran, Kenya, Malta, Portugal, Southern Rhodesia, Spain, Switzerland, Syria, Thailand, Turkey, U.S.S.R., Yugoslavia
12	1405 1430	Brentwood	Belgian Congo, Bulgaria, Canary Is., Chile, Colombia, India, Kenya, Madagascar, Malta, Palestine, Portugal, Spain, Switzerland, Syria, Thailand, Turkey, Uruguay, U.S.S.R., Zanzibar
12	1405 1430	Somerton	Argentina, Barbados, Brazil, Canada, Gold Coast, New York, Nigeria
13	0845 0915	Brentwood	India, Kenya, Madagascar, Palestine, Southern Rhodesia, Spain, U.S.S.R., Yugoslavia, Zanzibar
13	1040 1130	Brentwood	Belrain I., Belgian Congo, Canary Is., Greece, India, Iran, Kenya, Portugal, Southern Rhodesia, Spain, Switzerland, Turkey, Zanzibar
14	0915 1045	Brentwood	Belgian Congo, Kenya, Madagascar, Southern Rhodesia, Spain, Switzerland, Turkey, U.S.S.R., Zanzibar
22	0955 1100	Brentwood	Bahrain I., Greece, India, Kenya, Palestine, Southern Rhodesia, Syria, Turkey, U.S.S.R., Yugoslavia

Note: Observers are invited to send to the CEPL information on times of beginning and end of sudden ionosphere disturbances for publication as above. Address letters to the Central Radio Propagation Laboratory, National Bureau of Standards, Washington 25, D. C.

Table 80

Sudden Ionosphere Disturbances Reported by Engineer-in-Chief,
Cable and Wireless, Ltd., as Observed in Barbados, B.V.I.

1947 Day	GCT Beginning End	Receiving station	Location of transmitters
July 23	1430 1800	Barbados	Canada, England
24	1230 1245	Barbados	Canada, England
25	1220 1245	Barbados	Canada, England
25	1615 1630	Barbados	Canada, England
31	1845 1905	Barbados	Canada, England

Provisional Radio Propagation Quality Figures
(Including Comparisons with CRPL Warnings and CRPL Probable Disturbed Period Forecasts)
July 1947

Day	North Atlantic				North Pacific				Quality Figure Scale: 1 - Useless 2 - Very poor 3 - Poor 4 - Poor to fair 5 - Fair 6 - Fair to good 7 - Good 8 - Very good 9 - Excellent
	Quality figure	CRPL* Warning	CRPL** probable disturbed period forecast	Geo-magnetic K _{Ch}	Quality figure	CRPL* Warning	CRPL** probable disturbed period forecast	Geo-magnetic K _{Ch}	
	01-12 00Z 13-24 00Z	01-12 00Z 13-24 00Z		01-12 00Z 13-24 00Z	01-12 00Z 13-24 00Z	01-12 00Z 13-24 00Z		01-12 00Z 13-24 00Z	
1	6 6			3 3	8 7			3 3	
2	6 5			3 3	8 6			3 3	
3	6 6		X	2 2	7 8		X	2 2	
4	6 6		X	1 1	8 7		X	1 1	
5	6 6			1 1	7 6			1 1	
6	6 6			2 2	8 7			2 2	
7	7 6			2 2	7 7			2 2	
8	6 6			2 3	8 7			2 3	
9	6 6			2 3	7 5			2 3	
10	6 6			3 3	8 5			3 3	
11	6 6		X	2 3	7 5		X	2 3	
12	6 6			2 3	8 5			2 3	
13	5 6			3 2	7 7			3 2	
14	6 6			1 2	8 6			1 2	
15	6 6			2 2	6 8			2 2	
16	6 6			2 1	8 7			2 1	
17	6 (h)			1 5	6 7			1 5	
18	(3) (2)	X X		5 5	5 5	X X		5 5	
19	(3) (3)	X X	X	4 3	5 7	X X	X	4 3	
20	(3) (4)	X X	X	4 4	(h) 7	X X	X	4 4	
21	5 5	X X	X	3 2	(h) 7	X X	X	3 2	
22	6 5	X		2 3	(h) 5	X		2 3	
23	(h) 5			4 4	5 8			4 4	
24	5 5			3 3	6 7			3 3	
25	5 6			3 3	8 5			3 3	
26	5 5			4 3	6 5			4 3	
27	5 6			3 3	7 6			3 3	
28	6 6			3 2	8 6			3 2	
29	5 5			2 2	6 7			3 2	
30	6 6			2 2	7 7			2 2	
31	6 5			2 3	6 7			2 3	
Scores:									
H		3	2		3		2		
M		2	3		0		1		
G		24	22		26		24		
(S)		1	1		2		2		
S		1	3		0		2		

Symbols:

X Warning given or probable disturbed date

H Quality 4 or worse on day or half day of warning

M Quality 4 or worse on day or half day of no warning

G Quality 5 or better on day of no warning

(S) Quality 5 on day of warning

S Quality 6 or better on day of warning

() Quality 4 or worse (disturbed)

Geomagnetic K_{Ch} on the standard scale of 0 to 9, 9 representing the greatest disturbance.

*Broadcast on WVV, Washington, D.C. Times of warnings recorded to nearest half day as broadcast.

**In addition to dates marked X, the following was designated as a probable disturbed day on forecasts more than 8 days in advance of said date: July 12.

Table 82

American and Zürich Provisional Relative Sunspot NumbersAugust 1947

Date	American* number	Zürich** number	Date	American* number	Zürich** number
1	159	138	16	235	262
2	190	155	17	190	215
3	206	210	18	160	186
4	202	220	19	135	150
5	227	192	20	118	126
6	238	204	21	108	103
7	299	257	22	99	90
8	319	251	23	77	80
9	327	299	24	114	82
10	318	313	25	103	104
11	312	320	26	111	92
12	284	298	27	139	124
13	318	295	28	152	151
14	322	286	29	186	181
15	280	271	30	206	208
			31	226	217
No. of Days: 31			Monthly means: 205.2		196.1

*Median of data from 21 observers.

**Dependent on observations at Zürich Observatory and its stations at Locarno and Arosa.

CORONAL OBSERVATIONS AT CLIMAX, COLORADO

Decreases from astronomical north

[illegible]

Table 83 (continued)

[illegible]




Fig. 1. WASHINGTON, D.C.
39.0°N, 77.5°W

AUGUST 1947




Fig. 2. WASHINGTON, D.C.

AUGUST 1947




Fig. 3. FAIRBANKS, ALASKA
64.9°N, 147.8°W

JULY 1947




Fig. 4. FAIRBANKS, ALASKA

JULY 1947




Fig. 5. PRINCE RUPERT, CANADA
54.3°N, 130.3°W

JULY 1947




Fig. 6. PRINCE RUPERT, CANADA

JULY 1947




Fig. 7. ADAK, ALASKA
51.9°N, 176.6°W

JULY 1947




Fig. 8. ADAK, ALASKA

JULY 1947




Fig. 9. PORTAGE la PRAIRIE, CANADA
49.9°N, 98.3°W

JULY 1947




Fig. 10. PORTAGE la PRAIRIE, CANADA

JULY 1947




Fig. 11. OTTAWA, CANADA
45.5°N, 75.8°W

JULY 1947




Fig. 12. OTTAWA, CANADA

JULY 1947




Fig. 13. BOSTON, MASSACHUSETTS
42.4°N, 71.2°W

JULY 1947




Fig. 14. BOSTON, MASSACHUSETTS

JULY 1947




Fig. 15. SAN FRANCISCO, CALIFORNIA
37.4°N, 122.2°W

JULY 1947




Fig. 16. SAN FRANCISCO, CALIFORNIA

JULY 1947




Fig. 17. WHITE SANDS, NEW MEXICO
32.6°N, 106.5°W

JULY 1947




Fig. 18. WHITE SANDS, NEW MEXICO

JULY 1947




Fig. 19. WUCHANG, CHINA
306°N, 114.4°E

JULY 1947




Fig. 20. WUCHANG, CHINA

JULY 1947




Fig. 21. BATON ROUGE, LOUISIANA
30.5°N, 91.2°W

JULY 1947




Fig. 22. BATON ROUGE, LOUISIANA

JULY 1947




Fig. 23. CHUNGKING, CHINA
29.4°N, 106.8°E

JULY 1947




Fig. 24. CHUNGKING, CHINA

JULY 1947




Fig. 25. MAUI, HAWAII
20.8°N, 156.5°W

JULY 1947




Fig. 26. MAUI, HAWAII

JULY 1947




Fig. 27. SAN JUAN, PUERTO RICO
18.4°N, 66.1°W

JULY 1947




Fig. 28. SAN JUAN, PUERTO RICO

JULY 1947




Fig. 29. GUAM I.
13.5°N, 144.8°E

JULY 1947




Fig. 30. GUAM I.

JULY 1947




Fig. 31. TRINIDAD, BRIT. WEST INDIES
10.6°N, 61.2°W

JULY 1947




Fig. 32. TRINIDAD, BRIT. WEST INDIES

JULY 1947




Fig. 33. PALMYRA I.
5.9°N, 162.1°W

JULY 1947




Fig. 34. PALMYRA I.

JULY 1947




Fig. 35. SLOUGH, ENGLAND
51.5°N, 0.6°W

JUNE 1947




Fig. 36. SLOUGH, ENGLAND

JUNE 1947




Fig. 37. TOKYO, JAPAN
35.7°N, 139.5°E

JUNE 1947




Fig. 38. TOKYO, JAPAN

JUNE 1947




Fig. 39. MANILA, PHILIPPINE IS.
14.6°N, 120.0°E

JUNE 1947








Fig. 40. MANILA, PHILIPPINE IS.

JUNE 1947






Fig. 45. SLOUGH, ENGLAND
51.5°N, 0.6°W

MAY 1947




Fig. 46. SLOUGH, ENGLAND

MAY 1947




Fig. 47. LEYTE, PHILIPPINE IS.
11.0°N, 125.0°E

MAY 1947








Fig. 48. LEYTE, PHILIPPINE IS.

MAY 1947






Fig. 53. CANBERRA, AUSTRALIA
35.3°S, 149.0°E

MAY 1947




Fig. 54. CANBERRA, AUSTRALIA

MAY 1947




Fig. 55. HOBART, TASMANIA
42.8°S, 147.4°E

MAY 1947




Fig. 56. HOBART, TASMANIA

MAY 1947




Fig. 57. CHRISTCHURCH, N.Z.
43.5°S, 172.7°E

MAY 1947




Fig. 58. CHRISTCHURCH, N.Z.

MAY 1947




Fig. 59. PESHAWAR, INDIA
34.0°N, 71.5°E

APRIL 1947




Fig. 60. PESHAWAR, INDIA

APRIL 1947




Fig. 61. DELHI, INDIA
28.6°N, 77.1°E

APRIL 1947




Fig. 62. DELHI, INDIA

APRIL 1947




Fig. 63. BOMBAY, INDIA
19.0°N, 73.0°E

APRIL 1947




Fig. 64. BOMBAY, INDIA

APRIL 1947




Fig. 65. MADRAS, INDIA
13.0°N, 80.2°E

APRIL 1947




Fig. 66. MADRAS, INDIA

APRIL 1947




Fig. 67. LEYTE, PHILIPPINE IS.
11.0°N, 125.0°E

APRIL 1947




Fig. 68. LEYTE, PHILIPPINE IS.

APRIL 1947




Fig. 69. FIJI IS.
18.0°S, 178.2°E

APRIL 1947




Fig. 70. FIJI IS.

APRIL 1947




Fig. 71. RAROTONGA I.
21.3°S, 159.8°W

APRIL 1947




Fig. 72. PESHAWAR, INDIA
34.0°N, 71.5°E

MARCH 1947




Fig. 73. PESHAWAR, INDIA

MARCH 1947




Fig. 74. DELHI, INDIA
28.6°N, 77.1°E

MARCH 1947




Fig. 75. DELHI, INDIA

MARCH 1947




Fig. 76. BOMBAY, INDIA
19.0°N, 73.0°E

MARCH 1947




Fig. 77. BOMBAY, INDIA

MARCH 1947




Fig. 78. MADRAS, INDIA
13.0°N, 80.2°E

MARCH 1947




Fig. 79. MADRAS, INDIA

MARCH 1947




Fig. 80. LEYTE, PHILIPPINE IS.

11.0°N, 125.0°E

MARCH 1947




Fig. 81. LEYTE, PHILIPPINE IS.

MARCH 1947




Fig. 82. FIJI IS.

18.0°S, 178.2°E

MARCH 1947




Fig. 83. FIJI IS.

MARCH 1947




Fig. 84. LEYTE, PHILIPPINE IS.
11.0°N, 125.0°E FEBRUARY 1947




Fig. 85. LEYTE, PHILIPPINE IS. FEBRUARY 1947




Fig. 86. PRINCE RUPERT, CANADA
54.3°N, 130.3°W JANUARY 1947




Fig. 87. PRINCE RUPERT, CANADA JANUARY 1947




Fig. 88. LEYTE, PHILIPPINE IS.

11.0°N, 125.0°E

JANUARY 1947




Fig. 89. LEYTE, PHILIPPINE IS.

JANUARY 1947




Fig. 90. FIJI IS.

18.0°S, 178.2°E

JANUARY 1947




Fig. 91. FIJI IS.

JANUARY 1947




Fig. 92. LEYTE, PHILIPPINE IS.
11.0°N, 125.0°E

DECEMBER 1946




Fig. 93. LEYTE, PHILIPPINE IS.

DECEMBER 1946




Fig. 94. FIJI IS.

18.0°S, 178.2°E

NOVEMBER 1946








Fig. 95. FIJI IS.

NOVEMBER 1946






Fig. 100. TOMSK, U. S. S. R.
56.5°N, 84.9°E

OCTOBER 1946




Fig. 101. TOMSK, U. S. S. R.

OCTOBER 1946




Fig. 102. MOSCOW (KRASNAJA PAKHRA), U. S. S. R.

55.5°N, 37.3°E

OCTOBER 1946











Fig. 103. MOSCOW (KRASNAJA PAKHRA), U. S. S. R.

OCTOBER 1946








Fig. III. TOMSK, U. S. S. R.
56.5°N, 84.9°E

SEPTEMBER 1946




Fig. II2 MOSCOW (KRASNAJA PAKHRA), U. S. S. R.
55.5°N, 37.3°E

SEPTEMBER 1946




Fig. II3. MOSCOW (KRASNAJA PAKHRA), U.S.S.R. SEPTEMBER 1946




Fig. 114. FRIBOURG, GERMANY
48.1°N, 7.8°E

SEPTEMBER 1946




Fig. 115. FRIBOURG, GERMANY

SEPTEMBER 1946




Fig. 116. ALMA ATA, U.S.S.R.
43.2°N, 76.9°E

SEPTEMBER 1946




Fig. 117. FIJI IS.
18.0°S, 178.2°E

SEPTEMBER 1946




Fig. 118. FIJI IS.

SEPTEMBER 1946




Fig. 119. FIJI IS.
18.0°S, 178.2°E

AUGUST 1946




Fig. 120. FIJI IS.

AUGUST 1946

Index of Tables and Graphs of Ionospheric Data


	<u>Table page</u>	<u>Figure page</u>
Adak, Alaska		
July 1947	10	47
Alma Ata, U.S.S.R.		
October 1946	23	72
September 1946	25	75
Baton Rouge, Louisiana		
July 1947	12	51
Bombay, India		
April 1947	17	61
March 1947	19	65
Boston, Massachusetts		
July 1947	11	49
Brisbane, Australia		
May 1947	16	58
Bukhta Tikhaya, U.S.S.R.		
October 1946	22	70
September 1946	23	73
Canberra, Australia		
May 1947	16	59
Christchurch, New Zealand		
June 1947	15	56
May 1947	17	60
Chungking, China		
July 1947	12	51
Delhi, India		
April 1947	17	61
March 1947	19	64
Fairbanks, Alaska		
July 1947	10	46
Fiji Is.		
April 1947	18	63
March 1947	20	66
January 1947	21	68
November 1946	21	69
October 1946	23	72
September 1946	25	76
August 1946	25	76
Fribourg, Germany		
September 1946	25	75
Guam I.		
July 1947	13	53
Hobart, Tasmania		
May 1947	16	59
Johannesburg, Union of S. Africa		
June 1947	15	56
Leningrad (WETKAS), U.S.S.R.		
October 1946	22	70
September 1946	24	73

Index (Continued)

	<u>Table page</u>	<u>Figure page</u>
Leyte, Philippine Is..		
May 1947	15	57
April 1947	18	62
March 1947	20	66
February 1947	20	67
January 1947	21	68
December 1946	21	69
Madras, India		
April 1947	18	62
March 1947	19	65
Manila, Philippine Is.		
June 1947	14	55
Maui, Hawaii		
July 1947	13	52
Moscow, U.S.S.R.		
October 1946	23	71
September 1946	24	74
Ottawa, Canada		
July 1947	11	48
Palmyra I.		
July 1947	14	54
Peshawar, India,		
April 1947	17	60
March 1947	19	64
Portage la Prairie, Canada		
July 1947	11	48
Prince Rupert, Canada		
July 1947	10	47
January 1947	20	67
Raratonga I.		
April 1947	18	63
San Francisco, California		
July 1947	11	49
San Juan, Puerto Rico		
July 1947	13	52
Slough, England		
June 1947	14	54
May 1947	15	57
Sverdlovsk, U.S.S.R.		
October 1946	22	70
September 1946	24	73
Tokyo, Japan		
June 1947	14	55
Tomsk, U.S.S.R.		
October 1946	22	71
September 1946	24	74
Townsville, Australia		
May 1947	16	58
Trinidad, Brit. West Indies		
July 1947	13	53

Index (Continued)

	<u>Table page</u>	<u>Figure page</u>
Washington, D. C.		
August 1947	10	46
White Sands, New Mexico		
July 1947	12	50
Wuchang, China		
July 1947	12	50



CRPL and IRPL Reports

Daily:

Radio disturbance warnings, every half hour from broadcast station WWV of the National Bureau of Standards. Telephoned and telegraphed reports of ionospheric, solar, geomagnetic, and radio propagation data.

Weekly:

CRPL-J. Radio Propagation Forecast (of days most likely to be disturbed during following month).

Semimonthly:

CRPL-Ja. Semimonthly Frequency Revision Factors for CRPL Basic Radio Propagation Prediction Reports.

Monthly:

CRPL-D. Basic Radio Propagation Predictions—Three months in advance. (War Dept. TB 11-499, monthly supplements to TM 11-499; Navy Dept. DNC-13-1 (), monthly supplements to DNC-13-1.)

CRPL-F. Ionospheric Data.

Quarterly:

*IRPL-A. Recommended Frequency Bands for Ships and Aircraft in the Atlantic and Pacific.

*IRPL-H. Frequency Guide for Operating Personnel.

Reports on high-frequency standards.

Reports on microwave standards.

Nonscheduled reports:

CRPL-1-1. Prediction of Annual Sunspot Numbers.

CRPL-7-1. Preliminary Instructions for Obtaining and Reducing Manual Ionospheric Records.

NBS Circular 465. Instructions for the Use of Basic Radio Propagation Predictions.

Reports issued in past:

IRPL Radio Propagation Handbook, Part 1. (War Dept. TM 11-499; Navy Dept. DNC-13-1.)

IRPL-C61. Report of the International Radio Propagation Conference, 17 April to 5 May 1944.

IRPL-G1 through G12. Correlation of D. F. Errors With Ionospheric Conditions.

IRPL-R. Nonscheduled reports:

R4. Methods Used by IRPL for the Prediction of Ionosphere Characteristics and Maximum Usable Frequencies.

R5. Criteria for Ionospheric Storminess.

R6. Experimental Studies of Ionospheric Propagation as Applied to the Loran System.

R7. Second Report on Experimental Studies of Ionospheric Propagation as Applied to the Loran System.

R9. An Automatic Instantaneous Indicator of Skip Distance and MUF.

R10. A Proposal for the Use of Rockets for the Study of the Ionosphere.

R11. A Nomographic Method for Both Prediction and Observation Correlation of Ionosphere Characteristics.

R12. Short Time Variations in Ionospheric Characteristics.

R14. A Graphical Method for Calculating Ground Reflection Coefficients.

R15. Predicted Limits for F2-layer Radio Transmission Throughout the Solar Cycle.

R16. Predicted F2-layer Frequencies Throughout the Solar Cycle, for Summer, Winter, and Equinox Season.

R17. Japanese Ionospheric Data—1943.

R18. Comparison of Geomagnetic Records and North Atlantic Radio Propagation Quality Figures—October 1943 Through May 1945.

R19. Nomographic Predictions of F2-layer Frequencies Throughout the Solar Cycle, for June.

R20. Nomographic Predictions of F2-layer Frequencies Throughout the Solar Cycle, for September.

R21. Notes on the Preparation of Skip-Distance and MUF Charts for Use by Direction-Finder Stations. (For distances out to 4000 km.)

R22. Nomographic Predictions of F2-layer Frequencies Throughout the Solar Cycle, for December.

R23. Solar-Cycle Data for Correlation with Radio Propagation Phenomena.

R24. Relations Between Band Width, Pulse Shape and Usefulness of Pulses in the Loran System.

R25. The Prediction of Solar Activity as a Basis for Predictions of Radio Propagation Phenomena.

R26. The Ionosphere as a Measure of Solar Activity.

R27. Relationships Between Radio Propagation Disturbance and Central Meridian Passage of Sunspots Grouped by Distance From Center of Disc.

R28. Nomographic Predictions of F2-layer Frequencies Throughout the Solar Cycle, for January.

R29 and 29-A. Revised Classification of Radio Subjects Used in National Bureau of Standards and First Supplement (NBS Letter Circular LC-814 and Supplement, superseding Circular C385).

R30. Disturbance Rating in Values of IRPL Quality-Figure Scale From A. T. & T. Co. Transmission Disturbance Reports to Replace T. D. Figures as Reported.

R31. North Atlantic Radio Propagation Disturbances, October 1943 Through October 1945.

R32. Nomographic Predictions of F2-layer Frequencies Throughout the Solar Cycle, for February.

R33. Ionospheric Data on File at IRPL.

R34. The Interpretation of Recorded Values of fE_s .

R35. Comparison of Percentage of Total Time of Second-Multiple E_s Reflections and That of fE_s in Excess of 3 Mc.

IRPL-T. Reports on Tropospheric Propagation.

T1. Radar operation and weather. (Superseded by JANP 101.)

T2. Radar coverage and weather. (Superseded by JANP 102.)

CRPL-T3. Tropospheric Propagation and Radio-Meteorology. (Reissue of Columbia Wave Propagation Group WPG-5.)

*Items bearing this symbol are distributed only by U. S. Navy in NONREGISTERED PUBLICATIONS MEMORANDA (NRPM). IRPL-A and -H issued under one cover with NRPM identifying numbers.

